GENERIC NAMES APPLIED TO BIRDS DURING THE YEARS 1916 TO 1922, INCLUSIVE, WITH ADDITIONS TO WATERHOUSE'S "INDEX GENERUM AVIUM"

BY CHARLES W. RICHMOND

Associate Curator, Division of Birds, United States National Museum

This is the fourth list¹ of generic names of birds compiled by me to serve as supplements to Waterhouse's "Index Generum Avium." It is not as extensive as the previous lists, owing to several circumstances, chief of which is that the literature has been fairly well searched by this time and further omissions from Waterhouse are not easy to find.

There are about 435 names listed beyond, of which 378 were proposed during the period of 1916 to 1922; the remainder consist for the most part of names hitherto overlooked, a majority of them brought to light through the researches of Messrs. Mathews and Iredale. As in the previous supplement, the derivation of names is added when supplied by the original author.

I am indebted to several friends for calling attention to certain names that had been missed: Thomas E. Penard furnished the reference to Brubru, Dr. Herbert Friedmann that to Demelioteucus, Dr. A. Wetmore that to Fontinalis, and E. C. Stuart Baker gave me a clue to the origin of Cursonia, while K. L. Skinner furnished me with a copy of the paper in which the last name was published. Dr. Nagamichi Kuroda kindly sent references to the new names in Momiyama's "Birds of Micronesia," a work that was until recently inaccessible to me.

In the third supplement there were some omissions of page references, and certain errors have been since discovered, all of which may be conveniently mentioned or corrected here.

The earlier lists were as follows: "List of generic terms proposed for birds during the years 1890 to 1900 inclusive, to which are added names omitted by Waterhouse in his 'Index Generum Avium'" (Proc. U. S. Nat. Mus., vol. 24, No. 1267, May 2, 1902, pp. 663-729); "Generic names applied to birds during the years 1901 to 1905, inclusive, with further additions to Waterhouse's 'Index Generum Avium'" (Proc. U. S. Nat. Mus., vol. 35, No. 1656, Dec. 16, 1908, pp. 583-655); "Generic names applied to birds during the years 1906 to 1915, inclusive, with additions and corrections to Waterhouse's 'Index Generum Avium'" (Proc. U. S. Nat. Mus., vol. 53, No. 2221, Aug. "16"=25, 1917, pp. 565-636).

On page 568, the statement that "Stomiopera Reichenbach = Stomiopera" is incorrect. Reichenbach introduced the name as Stomiopera, as correctly given by Waterhouse; Stomiopera is an emendation of Gray, 1855.

The type of Alophus Malherbe, is by subsequent designation of Stejneger, 1886 (Proc. U. S. Nat. Mus., ix, p. 123), if not of some ear-

lier author.

Tinamus Hermann, 1783. The type, by subsequent designation, appears to be Apstein, 1915.

The type of Lineocantor Maynard is by designation of the A. O. U.

Committee (Auk, xxvi, 1909, p. 301).

Pseudocolopteryx Lillo. The second page reference given should be 48, not "45."

Nycthemerus Swainson, 1834. The page reference to the original edition of Murray's Encyclopaedia of Geography is 264, fig. 80.

On page 603, footnote no. 4, the page reference to Brasil's paper should be 382, 383, instead of "66-67."

References to generic names in the original edition of Bartram's "Travels," 1791, should have the following page citations: Cygnus, 294; Linaria, 291; Lucar, 290; Luscinia, 292; Merula, 290bis; Morinella, 294; Petrella, 295; Regulus, 291; Ruticilla, 292.

As in previous lists, the names of fossil genera are indicated by a †.

Achaetops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 227.

Type, Sphenoeacus pycnopygius Sclater. (Monotypy.)

[Turdoididae.]

Adamatornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 219.

Type, Cuculus klaas Stephens.

[Cuculidae.]

(Monotypy.)

Adetococcyx A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Chrysococcyx intermedius Hartlaub. (Monotypy.)

[Cuculidae.]

(Subgenus of Chrysococcyx.)

Aerospiza A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 208.

Type, "Astur tachiro (Daudin) and its allies in Africa." [Buteonidae.]
Aethia B. Merrem, "Vers. Grundr. Allg. Gesch. u. nat. Eintheil d. Vög. i.

Tentamen Nat. Syst. Av. pp. 7, 13, 20," 1788 (see Hartert, Novit.
Zool. xxiii, 1916, 339-340).

Type, Alca cristatella PALLAS.

[Alcidae.]

(Monotypy.)

Aethocinnyris A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 254.

Type, seems to be a lapsus for Notiocinnyris Roberts. [Nectariniidae.]

² I have not seen Merrem's work, which seems to be little known. Doctor Hartert says the German edition has only vernacular names, hence the name *Aethia* should, perhaps, have been credited to the Latin edition, "Primae lineae ornithologiae," of which there were two parts, published in 1787-88.

Afraegialis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 200.

Type, Charadrius venustus Fischer and Reichenow. [Charadriidae.] (Monotypy.)

(Subgenus of Charadrius.)

Afranas A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 204.

Type, Anas undulata Dubois. (Monotypy.)

 $[A \ natidae.]$

Afranthus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Anthus brachyurus Sundevall.

[Motacillidae.]

(Original designation and monotypy.)

Afrardea A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 203.

Type, Ardca melanocephala Vigors and Children. [Ardeidae.]

(Original designation and monotypy.)

(Subgenus of Ardea.)

Africorys A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 260.

Type, Mirafra a. africana A. Smith.

[Alaudidae.]

(Original designation.)

Afrocichla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 228.

Type, Turdus olivaceus Linnaeus. (Original designation.)

 $[Turdid\ ae.$

Afropelia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 197.

Type, Columba capicola Sundevall.

[Columbidae.]

(Original designation.)

Agapetornis C. Chubb, Birds Brit. Guiana, I, 1916, 419 (note). Type, Aphantochroa gularis Gould.

[Trochilidae.]

(Original designation and monotypy.)

New name for Agapeta Heine, 1863, preoccupied in coleoptera.³

Aguimpia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 255.

Type, Motacilla aguimp Dumont. (Original designation.)

[Motacillidae.]

(Subgenus of Motacilla Linnaeus.)

Agyrtrina C. Chubb, Birds Brit, Guiana, I, 1916, 395.

Type, Uranomitra whitelyi Boucard.

[Trochilidae.]

(Original designation.)

Alcippornis H. C. OBERHOLSER, Smithsonian Misc. Colls., 74, No. 2, Sept. 27, 1922, 1.

Type, "Alcippe cinerea Blyth nec Eyton (=Hyloterpe brunneicauda Salvadori)." [Timaliidae.]

(Original designation.)

New name for *Alcippe* of authors, not Blyth. "'Αλκίππη, Alcippe; ὄρνις, bird." (Oberholser.)

³ Refer also to Butler, Ibis, 1926, 338.

^{&#}x27;New name "for the species classed under Agyrtria Reichenbach by Brabourne and Chubb...as we find, upon further research, that Reichenbach proposed Agyrtria as a substitute name for Thaumantias Bonaparte, which equals Polytmus Brisson."

Alector⁵ B. Merrem, Avium Rariorum et minus cognitarum Icones et Descriptiones, fasc. 2, 1786, 40.

Type, Crax alector Linnaeus.

[Cracidae.]

(Tautonymy.)

Alterapus G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 264.

Type, Chaetura sabini Gray.

[Micropodidae.]

(Original designation and monotypy.)

Amoromyza C. W. Richmond, Proc. U. S. Nat. Mus., 53, No. 2221, Aug. "16"

(=25), 1917, 593.

Type, Merops samoensis Hombron and Jacquinot. [Meliphagidae.]

(Original designation and monotypy.)

New name for Leptornis Hombron and Jacquinot, 1845, preoccupied.

Amoropelia G. M. Mathews, Austral Avian Record, IV, No. 6, Aug. 1, 1921, 164.

Type, Columba turtur LINNAEUS. (Original designation.)

[Claraviidae.]

(Substitute name for Turtur Selby, 1835, not Turtur Boddaert, 1783.)

Anacarbo A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 205.

Type, Graculus neglectus WAHLBERG.
(Original designation and monotypy.)

[Phalacrocoracidae.]

Anacorys A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 260.

Type, Mirafra africanoides A. Smith.

[Alaudidae.]

(Original designation.)
(Subgenus of *Mirafra* Horsfield.)

Anomalaetus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 208.

Type, Spizaëtus ayresii Gurney. (Monotypy.)

[Buteonidae.]

Anomalanthus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 256.

Type, Anthus nicholsoni Sharpe.

[Motacillidae.]

(Monotypy.)

Anopetia E. Simon, Notice sur les Travaux Scientifiques, 1918, 38; Revue Frangaise d'Orn., VI, No. 120 April 7, 1919, 52.

Type, Phæthornis gounellei Boucard.

[Trochilidae.]

(Monotypy.)

Anthophagus "Lath." J. Jennings, Ornithologia, ed. 2, 1829, 33, 319, 329. (See Mathews and Iredale, Austral Avian Record, IV, 1922, 172, 174.)

Type, "A. olivaceus Lath." (= Cinnyris affinis Horsfield).

[Nectariniidae.]

(Subsequent designation, Mathews and Iredale, 1922.)

Antisyma G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 154, 161.

Type, Alcedo australasia VIEILLOT.

[Alcedinidae.]

(Original designation and monotypy.)

Apatelosia E. Simon, Hist. Nat. Trochilidae, 1921, 170, 361. Type, Homophania lawrencei Boucard.

ype, Homophania lawrencei Boucari (Monotypy.) [Trochilidae.]

†Archaeornis B. Petronievics, in Petronievics and Woodward, Proc. Zool. Soc. London, 1917, Pt. I, April 20, 1917, 5 (note).

Type, Archaeopteryx siemensi Dames. (Monotypy.)

[Archaeopterygidae.]

⁶ The name Alector becomes a synonym of Crax. It was proposed by Merrem not as a substitute name for Crax, but as a comprehensive genus to include Crax, Penclope, and Ortalis.

Arctositta S. A. BUTURLIN, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2 1916, 151, 156, 168.

Type, Sitta arctica Buturlin.

[Sittidae.]

(Original designation and monotypy.)

Arenella "nom. nov." E. Simon, Hist. Nat. Trochilidae, 1921, 116, 331.

Type, Arena boucardi Mulsant. [Trochilidae.] (Monotypy.)

New name for Arena and Arinia Mulsant, 1878.

Argyroceyx G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 97. Type, Ceux argentata Tweeddale.

[Alcedinidae.]

(Original designation.)

Athenoptera Hutton, MS., in A. O. Hume, My Scrap Book (Rough Notes Indian Orn.), Pt. I, No. 2, 1870, 392.

Type, Ephialtes spilocephalus Blyth (or E. huttoni Hume). [Bubonidae.] (Monotypy.)

Atolmodytes A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 255.

Type, Motacilla clara Sharpe. (Original designation and monotypy.) [Motacillidae.]

(Subgenus of Motacilla Linnaeus.)

Ayresillas A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 226. Type, Phyllastrephus flavostriatus Sharpe. [Pucnonotidae.]

(Original designation and monotypy.)

Bangsia T. E. PENARD, Auk, XXXVI, No. 4, Oct., 1919, 539.

Type, Buthraupis arcaei caerulcigularis Cherrie. [Tanagridae.] (Original designation.)

For Outram Bangs (Penard.)

Baptothorax A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Certhia gutturalis LINNAEUS. (Monotypy.)

[Nectariniidae.]

(Subgenus of Chalcomitra Reichenbach.)

Barbaculus F. P. Jarocki, Zoologiia, II, 1821, 33 (see Mathews and Iredale; Austral Avian Record, III, 1918, 143).

Type, Bucco calcaratus LATHAM. (Monotypy.)

[Bucconidae.]

Baryrhynchus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Buceros cristatus Rüppell. (Monotypy.)

[Bucerotidae.]

Berneyornis G. M. Mathews, Birds Australia, V. Pt. III, May 23, 1916, 305, Pt. IV, 355.

Type, Athene? strenua Gould.

[Bubonidae.]

(Original designation and monotypy.)

For Frederic L. Berney. (Mathews.)

Bombornis H. C. OBERHOLSER, Auk, XXXVII, No. 2, April 1920, 295.

[Trochilidae.] Type, Trochilus cuvierii Delattre and Bourcier. (Original designation.)

New name for Phaeochroa Gould, 1861, not Phaeochrous Laporte, 1840.

"Βόμβος, bombus; ὄρνις, avis." (Oberholser.)

†Botaurites L. Ammon, Abhandl. nat. Ver. Regensburg, XII, 1918, 32.6 [Ardeidae?] Type, Botaurites avitus Ammon. (Monotypy?)

⁶ I have not seen this reference.

Brabournea C. Chubb, Birds Brit. Guiana, I, 1916, 394.

Type, Thaumasius taczanowskii Sclater.

[Trochilidae.]

(Original designation and monotypy.)

New name for Thaumasius P. L. Sclater (preoccupied).7

Brubru F. Lafresnaye, Essai d'une nouvelle manière de grouper les genres et les espèces de l'ordre des Passereaux, "1838," 7, 9.

Type, "Brubru" of Levaillant [=Lanius brubru Latham]. [Laniidae.] (Tautonymy.)

Buccanodon "Verr. 1855" G. R. Gray, A list of Genera and Subgenera of Birds,⁸ 1855, errata.

Type, "Buccanodon formosus, Verr." (= $Barbatula\ formosa\ Verreaux$). (Monotypy.) [Capitonidae.]

Buphagoides J. P. Chapin, Amer. Mus. Novitates, No. 17, Sept. 16, 1921, 4.

Type, Tanagra erythroryncha Stanley.

(Monotypy.)

[Sturnidae.]

(Subgenus of Buphagus Brisson.)

Burhinops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 203.

Type, Oedicnemus capensis Lichtenstein. [Oedicnemidae.]

(Original designation and monotypy.)

Butor T. Forster, Pocket Encycl. Nat. Phenomena, 1827, 417. (See Mathews, Austral Avian Record, IV, 1921, 135).

Type, Butor stellaris or "common Bittern."
(Monotypy.)

[Ardeidae.]

Butor W. Swainson, in Murray, Encycl. Geography, 1834, 1384, fig. 958.

Type, Butor minor Swainson=Ardea lentiginosa Montagu.
(Monotypy.)

[Ardeidae.]

Caffranthus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 256.

Type, Anthus caffer Sundevall.

[Motacillidae.]

(Original designation and monotypy.)

Caffrapus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 217.

Type, Cypsclus caffer Lichtenstein.
(Original designation and monotypy.)

[Micropodidae.]

Caffropasser A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 261.

Type, Loxia melanura P. L. S. MÜLLER. (Monotypy.)

[Fringillidae.]

: (Subgenus of Passer Brisson.)

Caffrornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 232.

Type, "the typical species with dark legs and feet."

[Turdidae.]

(New name for Cossupha.)

Cafrillas A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 234.

Type, Bradypterus barratti Sharpe. [Sylviidae.]

(Monotypy.)

⁷ Refer also to Butler, Ibis, 1926,338.

⁸This is apparently Gray's "Catalogue of the Genera and Subgenera of Birds", of 1855, "Printed by order of the Trustees", with a new title page as above, "Printed by Taylor and Francis, Red Lion Court, Fleet Street, 1855," with a sheet of errata, containing about thirty additional generic names, with their type designations, and including the above additional genus. It is possible the name Buccandon first occurs in the publication "Ateneo Italiano", a scarce journal that was issued in Paris at that time.

W. L. Sclater, Zool. Record, Aves, vol. lix, for 1922, p. 61, gives Motacilla caffra Linnaeus, as the type.

Callocorydon G. M. Mathews, Birds Australia, VI, Pt. II, Feb. 6, 1917, 150. Type, Psittacus fimbriatus Grant (=P. galeatus Latham, preoccupied). (Original designation and monotypy.) [Kakatoëidae.] New name for Callocephalon Lesson, 1837, not Calocephalus F. Cuvier, 1826.

Calloprocnias C. Chubb, Bull. Brit. Orn. Club, XL, No. CCXLIX, March 31, 1920, 107.

Type, Chasmorhynchus tricarunculatus J. and E. Verreaux. [Cotingidae.] (Original designation and monotypy.)

Calophoneus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 247.

Type, Lanius quadricolor Cassin.

[Laniidae.]

(Original designation and monotypy.)

Calopterocles A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30,

Type, Tetrao variegatus Burchell = Pterocles (Eremialector) burchelli W. L. SCLATER. [Pteroclidae.]

(Original designation and monotypy.)

Campicoloides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 229.

Type, Saxicola bifasciata Temminck.

[Turdidae.]

(Monotypy.)

Capella J. S. T. Frenzel, Beschr. Vögel und ihrer Eyer in der Gegend Wittenberg, 1801, 58. (See Mathews and Iredale, Austral Avian Record, IV, 1920, 131.)

Type, Scolopax coelestis Frenzel.

[Scolovacidae.]

(Monotypy.)

Cardinalis ex Cuv., F. P. Jarocki, Zoologiia, II, 1821, 133. (See Mathews and Iredale, Austral Avian Record, III, 1918, 144.)

Type, Tanagra rubra "GL." (=LINNEAUS, 1766). (Monotypy.)

[Tanagridae.]

Cassinaëtus W. L. Sclater, Bull. Brit. Orn. Club, XLII, No. CCLXVI, Feb. 25, 1922, 76.

Type, Limnaëtus africanus Cassin.

[Buteonidae.]

(Original designation and monotypy.)

T. Forster, Pocket Encycl. Nat. Phenomena, 1827, 419. (See Caturates Mathews and Iredale, Austral Avian Record, IV, 1921, 162-4.)

Type, Caturates maximus Forster (=Larus maximus Leach = Larus marinus Linnaeus) is the first of four species.

Cecilia G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 153, 160. Type, Alcodo pileata Boddaert. [Alcedinidae.]

(Original designation and monotypy.)

Cecractes A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Cuculus jacobinus Boddaert. (Monotypy.)

[Cuculidae.]

(Subgenus of Melanolophus Roberts.)

Celebesia J. H. RILEY, Proc. Biol. Soc. Washington, 31, Dec. 30, 1918, 158. [Campephagidae.] Type, Celebesia abbotti RILEY.

(Original designation and monotypy.)

Celuro F. P. JAROCKI, Zoologiia, II, 1821, 156. (See Mathews and Iredale, Austral Avian Record, III, 1918, (143.)

Type, "Podarge Bulock de la Nouvelle Hollande" (=Caprimulgus strigoides [Podargidae.] LATHAM).

(Monotypy.)

Ceycalcyon G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 97. Type, Ceyx cyanopectus Lafresnaye. [Alcedinidae.

(Original designation.)

Ceycoides G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 98. Type, Alcedo madagascariensis Linnaeus. [Alcedinidae.] (Original designation and monotypy.)

Chæneirhynchus F. P. Jarocki, Zoologiia, II, 1821, 17. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Psittacus aterrimus GMELIN.

[Kakatoëidae.]

(Monotypy.)

Chæturellus G. M. Mathews, Birds Australia, VII, Pt. III, Aug. 26, 1918, 267. Type, Hirundo rutila Vieillot. [Micropodidae.] (Original designation.)

Chapmania A. de M. RIBEIRO, Revista Museu Paulista, XII, "1920" (1922?), 10, 65.

Type, Psittacus barrabandi Kuhl. (Original designation and monotypy.) [Psittacidae.]

Cheimonornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 224.

Type, Hirundo paludicola VIEILLOT. (Original designation.)

[Hirundinidae.]

Chelicutona G. M. MATHEWS, Birds Australia, VII, Pt. II, May 15, 1918, 150, 160.

Type, Alcedo albiventris Scopoli.

[Alcedinidae.]

(Original designation and monotypy.)

Chenogeranus T. Brown, Rept. Council Manchester Nat. Hist. Soc., Jan., 1842, 4. (See Mathews, Austral Avian Record, IV, 1922, 166.)

Type, Chenogeranus australis Brown, a nomen nudum (but=Anas semipalmata LATHAM, according to Mathews). [Anatidae.]

Chionomesa "nom. nov." E. Simon, Hist. Nat. Trochilidae, 1921, 104, 320. Type, Ornismya lactea Lesson (first species mentioned). [Trochilidae.] (New name for *Thaumatias* Bonaparte?)

Chlorindus L. Navás, Anales Facultad Ciencias Zaragoza, I, No. 2, June, 1907, 127.

Type, Fringilla serinus LINNAEUS. (Monotypy.)

[Fringillidae.]

New name for Serinus Koch.

(Monotypy.)

" χλωρός, verde." (Navás.)

Chloropetella A. Roberts, Annals Transvaal Museum, VI, Pt. 1, June 28, 1917, 1.

Type, Chloropetella suahelica Roberts. (Original designation and monotypy.) [Muscicapidae.]

Chloropogon E. Simon, Notice sur les Travaux Scientifiques, 1918, 39. 10

[Trochilidae.] Type, Trochilus ruficeps Gould. (Monotypy.)

Chlorostola 11 E. Simon, Notice sur les Travaux Scientifiques, 1918, 38.

Type, Trochilus glaucopis GMELIN.

[Trochilidae.]

¹⁰ In Hist. Nat. Trochilidae, 1921, p. 383, he says it is preoccupied, and that Selotopogon is a substitute name for it ("Selatopogon substitué à Chloropogon"), but, at the place where Selatopogon is proposed, it is stated to be a "nov. gen."

¹¹ Preoccupied, and renamed Chlorurania (Simon, Hist. Nat. Trochilidae, 1921, 302).

ART, 15

Chlorurania "nov. gen." E. Simon, Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Trochilus glaucopis GMELIN.

[Trochilidae.]

(Original designation and monotypy.)

(See Chlorostola.)

Chlorurisca E. Simon, Hist. Nat. Trochilidae, 1921, 129, 340.

Type, Hypuroptila isaurae Gould.

[Trochilidae.]

(Original designation.)

(Not indicated as new here.)

Cirropieus E. Stresemann, Archivfür Naturgesch., 87 Jahrg., Abt. A, Heft 7, June, 1921, 71.

Type, Picus chlorolophus Vieillot.

[Picidae.]

(Original designation.)

"Als cirrus, eigentlich "Franse", wird von Plinius (nat. hist. XI.) der Schopf des Schwarzspechtes (Dryocopus martius [L.]) bezeichnet." (Stresemann.)

Clarkona G. M. Mathews, Birds Australia, VI, Pt. V, Sept. 11, 1917, 391.

[Psittacidae.]

Type, Psephotus varius Clark.
(Original designation and monotypy.)

Subgenus of Pesephotus Gould.

Cnemathraupis T. E. Penard, Auk, XXXVI, No. 4, Oct., 1919, 538.

Type, Tanagra eximia Boissonneau.

[Tanagridae.]

(Original designation.)

Cnemoscopus O. Bangs and T. E. Penard, Bull. Mus. Comp. Zoöl., LXIII,
No. 2, June, 1919, 38.

Type, Arremon rubrirostris LAFRESNAYE.
(Original designation and monotypy.)

[Tanagridae.]

Coeliola E. Simon, Notice sur les Travaux Scientifiques, 1918, 39.

Type, Ornismya coeligena Lesson.

[Trochilidae.]

(Monotypy.)

(See Pseudocæligena Simon.)

Colletoptera A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 217.

Type, Cypselus affinis GRAY.

[Micropodidae.]

(Original designation and monotypy.)

Colonocichla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 228.

Type, Monticola brevipes Strickland and Sclater=Petrocincla brevipes G. Waterhouse.

(Original designation.)

[Turdidae.]

(Subgenus of Petrophila.)

Cometornis ¹² O. Bangs and T. E. Penard, Bull. Mus. Comp. Zoöl., LXIV, No.4, Jan., 1921, 373.

Type, Todirostrum squamaecrista LAFRESNAYE.

[Tyrannidae.]

(Original designation.)

Compsoenas J. H. RILEY, Proc. Biol. Soc. Washington, 34, March 31, 1921, 51.

Type, Columba radiata Quoy and Gaimard. [Treronidae.]

(Original designation.)

¹² See Bangs and Penard, Proc. Biol. Soc. Wash., 34, 1921, 78, where it is found Cometornis becomes a synonym of Lophotriccus Berlepsch.

^{21996 - 27 + - - 2}

Cophixus H. C. Oberholser, Journ. Washington Acad. Sci., IX, No. 1., Jan. 4, 1919, 15.

Type, Spizixos semitorques Swinhoe.

[Pycnonotidae.] 13

(Original designation.)

"κωφόσ, obtusus; ixus=ίξόσ, viscum." (Oberholser.)

Coracornis J. H. RILEY, Proc. Biol. Soc. Washington, 31, Dec. 30, 1918, 157.

Type, Coracornis raveni Riley.

[Laniidae.]

(Original designation and monotypy.)
"Named in honor of H. C. Raven." (Riley).

Cormobates G. M. Mathews, Austral Avian Record, V, No. 1, July 17, 1922, 6.

Туре, Certhia leucophæa Latham. [Certhidae.]

(Original designation.)

Cosmorhipis 14 E. Simon, Notice sur les Travaux Scientifiques, 1918, 38.

Type, Lophornis pavoninus Salvin and Godman. [Trochilidae.] (Monotypy.)

Cranellus R. Tobias, Abh. nat. Ges. Görlitz, IV, Heft i, 1844, 60. (See Mathews and Iredale, Austral Avian Record, IV, 1921, 151.)

Type, Charadrius spinosus Linnaeus. (Monotypy.)

[Charadriidae.]

Cranobrontes J. H. Riley, Proc. Biol. Soc. Washington, 34, March 31, 1921, 52.

Type, Buceros leucocephalus Vieillor. [Bucerotidae.]

(Original designation.)

Crinifer F. P. Jarocki, Zoologiia, II, 1821, 181. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Phasianus africanus LATHAM=Falco piscator BODDAERT.

[Musophagidae.]

(Monotypy.) Cromba F. P. Jarocki, Zoologiia, II, 1821, 42. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Cuculus afer GMELIN.

[Leptosomatidae.]

(Monotypy.)
Crotema A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Caprimulgus fossei Hartlaub. (Monotypy.)

[Caprimulgidae.]

Croteoptera A. ROBERTS, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 260.

Type, Alauda apiata Vieilloт.

[Alaudidae.]

(Original designation.)

(New name for Corypha Gray, 1840, not Coryphe in Coleoptera.)

Cruopsitta G. M. Mathews, Birds Australia, VI, Pt. I, Nov. 22, 1916, 64.

Type, Cyclopsittacus edwardsii Oustalet.
(Original designation.)

[Cyclopsittacidae.]

Crypturornis H. C. OBERHOLSER, Proc. Biol. Soc. Washington, 35, March 20, 1922, 73.

Type, Tetrao cinereus GMELIN.

[Tinamidae.]

(Original designation.)
(New name for *Crypturus* authors, not Illiger, which=*Tinamus*.)

"κρυπτός, occultus, οὐρά, cauda ὅρνις, avis." (Oberholser.)

¹³ With Spizixos, placed in a new family, Spizixidae.

¹⁴ Spelt Cosmorrhipis in Revue Française d'Orn., VI, No. 120, April 7, 1919, 52.

Curzonia15 "E. R." [=K. L.] SKINNER, A List of the Birds of British India, 1905, 1, 6.

New Name for Gypsophila Oates, preoccupied "in botany." [Timaliidac,] Named for "Lord Curzon, then Viceroy of India." (Skinner, MS.)

Cuvieria A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 210. Type, Falco cuvieri A. Smith. [Falconidac.] (Monotypy.)

Cyanoceyx G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 96. Type, Ceyx lepida TEMMINCK. [Alcedinidae.]

(Original designation.)

(Spelt "Cyanonyx" in review in Ibis, 1918, 507.)

Cyanolampis E. Simon, Notice sur les Travaux Scientifiques, 1918, 38; Revue Française d'Orn., VI, No. 120, April 7, 1919, 52.

Type, Trochilus doubledayi BOURCIER, [Trochilidae.] (Monotypy.)

Cyanositta S. A. Buturlin, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2, 1916, 149, 156, 167.

Type, Dendrophila corallipes Sharpe.

[Sittidae.]

(Original designation.)

Dacelalcyon G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 117. Type, Monachalcyon cyanocephalus (of Brit. Mus. Cat., XVII, 295)= Dacelalcuon confusus Mathews. [Alcedinidac.]

(Monotypy.) Demelioteucus 16 H. Stempelmann and F. Schulz, Boletin Acad. Nac. Ciencias en Córdoba, X, Entrega 4, 1890, 399.

Type, "Demelioteucus badius (Vieill.)"=Agelaius badius VIEILLOT.

[Icteridae.]

(Monotypy.)

Dendrocinclopa C. Chubb, Bull. Brit. Orn. Club, XL, No. CCXLIX, March 31, 1920, 107.

Type, Dendrocincla longicauda guianensis Chubb. [Dendrocolaptidae.] (Original designation and monotypy.)

Dendroperdix A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 194.

Type, Perdix sephaena A. Smith. (Original designation.)

[Phasianidae.]

Dendrospiza A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 262.

Type, Crithogra scotops Sundevall. (Original designation and monotypy.) [Fringillidae.]

(Subgenus of Serinus Koch.)

Devisornis G. M. Mathews, Austral Avian Record, III, No. 4, July 21, 1917, 90. Type, Malurus alboscapulatus MEYER. [Sulviidae.] (Original designation and monotypy.)

Dichropogon C. Chubb, Annals and Mag. Nat. Hist., ser. 9, 11, No. 7, July, 1918, 124,

Type, Hypocnemis poecilonota Cabanis. (Monotypy.)

[Formicariidae.]

¹⁵ Emended to Cursonia by Stuart Baker, Journ. Bombay Nat. Hist. Soc., XXVII, No. 3, 1921, p. 454. 16 The name Demelioteucus is not designated as new here, and the probabilities are that it was instituted at an earlier date, possibly by some other author. The name was called to my attention by Dr. Herbert Friedmann, of Cambridge, Mass

Dilazula G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 155, 160.

Type, Halcyon nigrocyanea Wallace. (Original designation.)

[Alcedinidae.]

Dilazulena G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 155.

Type, Halcyon winchelli Sharpe. [Alcedinidae.]

(Original designation and monotypy.)

(Subgenus of Halcyon?)

Diopezus J. H. Riley, Proc. Biol. Soc. Washington, 34, March 31, 1921, 52.

Type. Phlegænas tristigmata Bonaparte. [Claraviidae.]

(Original designation and monotypy.)

Dipardalotus G. M. Mathews, Austral Avian Record, V. No. 1, July 17, 1922, 7.

Type, Pardalotus rubricatus yorki Mathews. [Dicaeidae.]

(Original designation and monotypy.)

Diplophoneus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922 245.

Type, Lanius ferrugineus GMELIN.
(Original designation and monotypy.)

[Laniidae.]

(Subgenus of Laniarius.)

Drymodytops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 238.

Type, Sylvia lugubris Rüppell.
(Original designation and monotypy.)

[Sylviidae.]

(Subgenus of Drymodyta Sundevall.)

Duncanula C. Chubb, Annals and Mag. Nat. Hist., ser. 9, VII, No. 38, Feb., 1921, 193.

Type, Catamenia homochroa Sclater. (Original designation.)

[Fringillidae.]

Dysmorodrepanis R. C. L. Perkins, Annals and Mag. Nat. Hist., ser. 9, III, No. 15, March, 1919, 250.

Type, Dysmorodrepanis munroi Perkins. (Monotypy.)

[Drepanididae.]

Edquista G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 198.

Type, Tanysiptera carolinae Schlegel. [Alcedinidae.]

(Original designation and monotypy.)

(Subgenus of Tanysiptera.)

Eider F. P. JAROCKI, Spis Ptaków, 1819, 62.

Type, Anas mollissima GMELIN.

[A natidae.]

(Monotypy.)

Epicypselus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 217.

Type, Cypselus horus Heuglin. [Micropodidae.]

(Original designation and monotypy.)
Erannornis H. C. Oberholser, Auk, XXXVII, No. 2, April, 1920, 302.

Type, Myiagra longicauda Swainson. [Muscicapidae.]

(Original designation.)

New name for Elminia Bonaparte, 1854, not Elminius King, 1831.

"έραννὸς, delicatus; ὄρνις, avis." (Oberholser.)

Eremialector W. L. Sclater, Bull. Brit. Orn. Club, XLII, No. CCLXVI, Feb. 25, 1922, 74.

Type, Tetrao orientalis LINNAEUS.

[Pteroclidae.]

(Original designation.)

"έρημία, a desert, and ἀλέκτωρ, a cock." (Sclater.)

Eremicinnyris A. Roberts, Annals Transvaal Musuem, VIII, Pt. 4, Oct. 30, 1922, 252.

Type, Cinnyris fuscus VIEHLOT.

[Nectariniidae.]

(Original designation and monotypy.)

Eremomeloides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 235.

Type, Dryodromas albigularis Hartlaub and Finsch. (Monotypy.)

[Sylviidae.]

Eressornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922. 248.

Type, Prionops retzii Wahlberg.

[Prionopidae.]

(Original designation and monotypy.)

Euægotheles G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 52. Type, Batrachostomus psilopterus GRAY=B. crinifrons BONAPARTE.

> (Original designation and monotypy.) [Podargidae.]

Eucacatua G. M. Mathews, Birds Australia, VI, Pt. II, Feb. 6, 1917, 169. Type, Psittacus galeritus LATHAM.

[Kakatoëidae, 1

(Original designation.)

New name for Kakatoë Cuvier?

Eucinnyris A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 253. Type, Cinnyris leucogaster Vieillot. [Nectariniidae.]

(Original designation.)

Eucoracias A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30,1922, 213 Type, Coracias mosambicus Dresser. [Coraciidae.] (Original designation and monotypy.)

Euclor G. M. Matuews and T. Iredale, Austral Avian Record, III, No. 5, Dec. 28, 1917, 117.

Type, Anas olar GMELIN.

[Anatidae.]

(Original designation and monotypy.)

Euphilydor C. B. Cory, Auk, XXXVI, No. 2, April, 1919, 273.

Type, Philydor lichtensteini Cabanis and Heine. [Furnariidae.] (Original designation.)

Subgenus (of Philudor Spix).

Euploceus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 271. Type, Oriolus capensis LINNAEUS. [Ploceidae.] (Original designation.)

(Subgenus of Hyphantornis, of authors, not of Gray, 1844.)

Eupsittacula "Bp." A. de M. Ribeiro, Revista Museu Paulista, XII, "1920" (1922?), 9, 28.

Type, Psittacus canicularis LINNAEUS.

[Psittacidae.]

(Original designation.)

(=Eupsittula Bonaparte, and a lapsus for it.)

Eupsittacus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 212. Type, Pionus gulielmi JARDINE. [Psittacidae.]

(Original designation and monotypy.)

(Subgenus of Poicephalus.)

Eusiptornoides C. B. Cory, Proc. Biol. Soc. Washington, 32, Sept. 30, 1919, 150 [Furnariidae.] Type, Synallaxis anthoides King.

(Original designation.)

Subgenus of Siptornoides Cory.

Eximiornis G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 235. Type, Caprimulgus eximius Temminck. [Caprimulgidae.] (Original designation and monotypy.)

Ficaria T. Forster, Pocket Encycl. Nat. Phenomena, 1827, 411. (See Mathews and Iredale, Austral Avian Record, IV, 1921, 162-4.)

Type, Ficaria hippolais or "Lesser Petty-chaps" (first species mentioned). [Sylviidae.]

†Fontinalis L. Lesquereux, Report U. S. Geol. Surv. Terr., VIII, 1883, 135, pl. 21, fig. 9.

Type, Fontinalis pristina Lesquereux. 17 [Incertae sedis.] (Monotypy.)

Frederickena C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918, 123.

Type, Thamnophilus viridis VIEILLOT. (Original designation and monotypy.) [Formicariidae.]

Gennæodryas G. M. Mathews, Birds Australia, VIII, Pt. 4, Oct. 13, 1920, 186. Type, Eopsaltria placens RAMSAY. [Muscica pidae.]

(Original designation and monotypy.)

†Gigantornis C. W. Andrews, Abstract Proc. Zool. Soc. London, No. 158, May 30, 1916, 30; Proc. Zool. Soc. London, 1916, Pt. III, Aug. 30, 1916, 519 - 523.

Type, Gigantornis eaglesomei Andrews.

[Incertae sedis .18]

(Monotypy.) Glaucestrilda A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 268.

Type, Estrilda incana Sundevall.

[Ploceidae.]

(Original designation and monotypy.)

Glaucomorpha H. C. OBERHOLSER, Journ. Washington Acad. Sci., VII, No. 17, Oct. 19, 1917, 539.

Type, Muscicapa cyanea Begbie.

[Pucnonotidae. 19]

(Original designation.)

Gnaphocercus E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Trochilus adela d'Orbigny and Lafresnaye. [Trochilidae.] (Monotypy.)

Graculaea F. P. JAROCKI, Zoologiia, II, 1821, 126. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, "Gracula tristis Lath." = Paradisea tristis Linnaeus. [Graculidae.] (Monotypy.)

Grillia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 220. Type, Centropus grilli HARTLAUB. [Cuculidae.]

(Original designation and monotypy.)

Gunningia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 253.

Type, Anthreptes reichenowi Gunning. (Monotypy.)

[Nectariniidae.]

For Dr. J. W. B. Gunning. (Roberts.)

Gymnopsittacus A. de M. Ribeiro, Revista Museu Paulista, XII, "1920" (1922?), 9, 26, 79.

Type, Conurus weddelli DEVILLE. (Original designation.)

[Psittacidae.]

¹⁷ Based on fragment of a feather, and first described as a plant. (See Wetmore, Bull. Mus. Comp. Zool., LXVII, No. 2, 1925, p. 184, and Knowlton, Proc. U. S. Nat. Mus., vol. 51, 1916, p. 245.)

¹⁸ Allied to the Tubinares and Steganopodes. 19 Irenidae, according to the author.

Habia "Vieillot" E. BLYTH, in Cuvier, Animal Kingdom, 1840, 184.

Type, Tanagra flammiceps WIED. [Tanagridae.] (Subsequent designation, Oberholser, 1922.)

(Replaces Phoenicothraupis Cabanis, 1851.)

Haganopsornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 225.

Type, Bradornis infuscatus A. Smith.

[Muscicapidae.]

(Original designation and monotypy.)

Halcyonopa G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 149, 160. Type, Halcyon dryas HARTLAUB. [Alcedinidae.] (Original designation.)

(Subgenus of Halcyon.)

Hamirostra T. Brown, Illustr. Genera Birds, Pt. VIII, April 3, 1846,—. (See Mathews, Austral Avian Record, IV, 1922, 167.)

Type, Hamirostra montana Brown (=Buteo melanosternon Gould).

[Buteonidae.]

(Monotypy.)

Hapalocrex R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 3. Type, Rallus flaviventris Boddaert. [Rallidae.] (Original designation and monotypy.)

" ἀπαλός, delicate; κρέξ, a crake." (Ridgway.)

Haplophædia E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Trochilus aureliae Bourcier and Mulsant.

|Trochilidae.]

(Monotypy.)

Haplornis A. Wetmore, in Townsend and Wetmore, Bull. Mus. Comp. Zoöl., LXIII, No. 4, August, 1919, 201.

Type, Rhipidura lessoni GRAY.

[Muscicapidae.]

(Monotypy and also subsequent designation, Stone, 1920.)

New name for Muscylva authors, not Lesson, 1831.

Haringtonia G. M. Mathews and T. Iredale, Austral Avian Record, III, No. 5, Dec. 28, 1917, 124.

Type, Hypsipetes psaroides Vigors.

[Pycnonotidae.]

(Original designation.)

New name for Hypsipetes Vigors, 1831, not Ypsipetes Stephens, 1829.

Helicolestes O. Bangs and T. E. Penard, Bull. Mus. Comp. Zoöl., LXII, No. 2, April, 1918, 38.

Type, Falco hamatus Illiger.

[Buteonidae.]

(Original designation and monotypy.)

Hemimacronyx A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 258.

Type, Anthus chloris Sundevall.

[Motacillidae.]

(Original designation and monotypy.)

Hemipsittacus A. de M. Ribeiro, Revista Museu Paulista, XII, "1920" (1922?), 7, 16. [Psittacidae.] Type, Psittacus severus Linnaeus.

(Original designation and monotypy.)

†Hermosiornis C. Rovereto, Anales Mus. Nac. Buenos Aires, XXV, 1914, 163, Type, Mesembriornis milne-edwardsi Moreno and Mercerat.

["Hermosiornidae."]

(Original designation.)

Heteroglaucis E. Simon, Notice sur les Travaux Scientifiques, 1918, 38; Revue Française d'Orn., VI, No. 120, April 7, 1919, 52.

Type, Trochilus ruckeri Bourcier.

[Trochilidae.]

(Monotypy.)

†Heterorhea C. Rovereto, Anales Mus. Nac. Buenos Aires, XXV, 1914, 160. Type, Heterorhea dabbenei Rovereto.

(Monotypy.)

Homositta S. A. Buturlin, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2, 1916, 152, 156, 169.

Type, Sitta castaneoventris Franklin.

[Sittidae.]

(Original designation.) (Subgenus of Sitta Linnaeus.)

Horizonetta H. C. Oberholser, Proc. Biol. Soc. Washington, 30, May 23, 1917,

Type, Anas laysanensis Rothschild.

[Anatidae.]

(Original designation and monotypy.) "ὀρίζω, limito; νῆττα, anas." (Oberholser).

Hygrobates M. H. C. Lichtenstein, Verz. Sammlung neuholländischer Naturalien, 1837, 6.

Type, Anas lobatus "Lath." (=Shaw).

[Anatidae.]

(Monotypy.)

(=emendation of Hydrobates Temminck, 1826, but not indicated as new here.) Hyloaedon A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Muscicapa dichroa GMELIN.

[Turdidae.]

(Original designation.)

Hylocryptus F. M. CHAPMAN, Poc. Biol. Soc. Washington, 32, Dec. 31, 1919, 258.

Type, Hylocryptus crythrocephalus Chapman.

[Furnariidae.]

(Original designation and monotypy.)

Hypochionis E. Simon, Notice sur les Travaux Scientifiques, 1918, 38; Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Ornismya cyanocephalus Lesson. (Monotypy.)

[Trochilidae.]

Hypocnemoides O. Bangs and T. E. Penard, Bull. Mus. Comp. Zool., LXII, No. 2, April, 1918, 69.

Type, Hypocnemis melanopogon Sclater.

[Formicariidae.]

(Original designation and monotypy.)

Hyposyma G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 154, 161. Type, Halcyon cinnamomina Swainson. [Alcedinidae.]

(Original designation and monotypy.) Idiospiza W. E. C. Todd, Proc. Biol. Soc. Washington, 30, July 27, 1917, 127. Type, Linaria inornata LAFRESNAYE. [Fringillidae.]

(Original designation and monotypy.)

Indicapus G. M. MATHEWS, Birds Australia, VII, Pt. III, August 26, 1918, 265.

Type, Acanthylis sylvatica TICKELL.

[Micropodidae.]

(Original designation and monotypy.)

Ispidella G. M. Mathews, Birds Australia, VII, Pt. I, March 4, 1918, 97. [Alcedinidae.] Type, Halcyon leucogaster Fraser.

(Original designation and monotypy.)

(Original designation and monotypy.)

Karrucincla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 230. [Turdidae.] Type, Saxicola pollux HARTLAUB.

Keartlandia G. M. Mathews, Austral Avian Record, III, No. 4, July 21, 1917, 78.

Type, Acanthiza flaviventris Ashby.²⁰ (Monotypy.)

[Turdidae.]

= Aurepthianura Mathews, 1913, cf. Mathews, Birds Australia, IX, 1922, 339. Knestrometopon ²¹ O. Neumann, Journal für Orn., 68 Jahrg., Heft 1, Jan., 1920,

77.

Type, Sigmodus scopifrons Peters.

[Prionopidae.]

(Original designation and monotypy.)

(See Phaidrometopon A. Roberts, 1922.)

Kubaryum T. Momiyama, Birds of Micronesia, 1922, 1, pl. VII, fig. 4.

Type, Zosterops oleagina HARTLAUB and FINSCH. [Zosteropidae.]
(Original designation and monotypy.)

Lamprospreo A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 272.

Type, Lamprotornis superbus Rüppell.
(Monotypy.)

[Sturnidae.]

Lamprothreptes A. Roberts, Annals Transvaal Museum, VIII, pt. 4, Oct. 30, 1922, 254.

Type, Cinnyris longuemarei Lesson.

[Nectariniidae.]

(Original designation and monotypy.)

Lamprura J. H. Riley, Proc. Biol. Soc. Washington, 34, March 31, 1921, 51.

Type, Columba rufigaster Quoy and Gaimard. [Treronidae.]

(Original designation and monotypy.)

Lanioides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Lanius minor GMELIN.

[Laniidae.]

(Original designation and monotypy.)

Layardiella G. M. Mathews, Birds Australia, VI, Pt. III, April 17, 1917, 289.

Type, Psittacus tabuensis Gmelin. [Psittacidae.]

(Original designation.)

For Edgar Leopold Layard. (Mathews.)

Lazulena G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 141, 154.

Type, *Halcyon macleayii* Jardine and Selby.

[Alcedinidae.]

(Original designation.)

Leachena G. M. Mathews, Austral Avian Record, III, No. 3, April 7, 1916, 60.

Type, Epthianura crocea Castelnau and Ramsay. [Turdidae.]

(Original designation and monotypy.)

Leptositta S. A. Buturlin. Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2,

1916, 153, 156, 169. Type, Sitta leucopsis Gould.

[Sittidae.]

(Original designation.)

(Subgenus of Sitta Linnaeus.)

Leucaleyon G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 156, 160.

Type, Haleyon saurophaga Gould. [Alcedinidae.]

(Original designation.)

(Subgenus of Sauropatis.)

Leuconympha E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Trochilus viridipallens Bourcier and Mulsant. (Monotypy.)

[Trochilidae.]

²⁰ Acanthiza flaviventris Ashby = Epthianura aurifrons Gould.

²¹ Spelt Knestrometophon in Ibis, 1921, 563.

^{21996-27†---3}

Limnocrex R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 3. Type, Porzana cinereiceps Lawrence. [Rallidae.] (Original designation.)

"λίμνη, a pool, marsh; κρέξ, a crake." (Ridgway.)

Lioptilornis H. C. OBERHOLSER, Proc. Biol. Soc. Washington, 34, June 30, 1921, 136.

Type, Turdus nigricapillus VIEILLOT.

[Muscica pidae.]

(Original designation.)

"λειος, laevis; πτίλον, penna; ὄρνις, avis." (Oberholser.)

Lithiophanes 22 E. Simon, Notice sur les Travaux Scientifiques, 1918, 38; Revue, Française d'Orn., VI, No. 120, April 7, 1919, 52.

Type, Lophornis insignibarbis Simon. (Monotypy.)

[Trochilidae.]

Loriotus ex Cuv., F. P. JAROCKI, Zoologiia, II, 1821, 133. (See Mathews and

Iredale, Austral Avian Record, III, 1918, 144.) Type, Tanagra cristata GMELIN. (=LINNAEUS, 1766.) [Tanagridae.]

(Monotypy.)

Lormarinsia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Crithagra leucoptera Sharpe.

[Fringillidae.]

(Monotypy.) (Subgenus of *Poliospiza* Bonaparte.)

Mackenziæna C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918, 123.

Type, Thamnophilus leachi Such.

[Formicariidae.

(Original designation and monotypy.)

Maclennania G. M. Mathews, Austral Avian Record, III, No. 5, Dec. 28] 1917, 127.

Type, Cincloramphus mathewsi IREDALE.

[Turdoididae.]

(Original designation.)

Named for William Rae McLennan. (Mathews.)

Magalilais A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 236.

Type, Eremomela usticollis Sundevall.

[Sylviidae.]

(Original designation and monotypy.) Malcoha ex Vaill., F. P. JAROCKI, Zoologiia, II, 1821, 40. (See Mathews and Iredale, Austral Avian Record, III, 1918, 144.)

Type, Cuculus pyrrhocephalus "Latham" (=Pennant, 1769). [Cuculidae.] (Monotypy.)

Mandingoa E. HARTERT, Novit. Zool., XXVI, No. 1, May 28, 1919, 147.

Type, Estrelda nitidula HARTLAUB.

(Original designation and monotypy.) Marianornis G. M. Mathews, Austral Avian Record, III, No. 5, Dec. 28, 1917, 128.

Type, Perdix varia Latham.

[Turnicidae.]

(Original designation.)

Maricornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 252.

Type, Cinnyris mariquensis A. SMITH (Original designation.)

[Nectariniidae.]

²² Litiophana Simon, Hist. Nat. Trochilidae, 1921, 52; error for Lithiophanes Simon, 1918, and corrected in errata, p. 408.

Massornis H. C. Oberholser, Auk, XXXVII, No. 3, July, 1920, 455.

Type, Schiffornis major DES MURS.

[Pipridae.]

(Original designation and monotypy.)

New name for Schiffornis of authors, not of Bonaparte. "μάσσων, major; ὄρνις, avis." (Oberholser.)

Mastersornis G. M. Mathews, Austral Avian Record, III, No. 4, July 21, 1917, 78.

Type, Todus rubeculus LATHAM.

[Muscicapidae.]

(Original designation.)

New name for Myiagra Vigors and Horsfield (1827), not Myagrus Boie, 1826. Mathewsiella T. IREDALE, Bull. Brit. Orn. Club, XLIII, No. CCLXXII, Nov. 29, 1922, 39.

Type, Craspedophora magnifica claudia Mathews.²³ [Paradisaeidae.]

(Original designation and monotypy.)

New name for Craspedophora Gray, 1840, preoccupied by Craspedophorus Hope, 1838.

Meganthus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 257.

Type, Anthus vaalensis Shelley.

[Motacillidae.]

(Original designation.)

Megacentropus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 220.

Type, Centropus cupreicaudus Reichenow. [Cuculidae.] (Original designation and monotypy.)

Megacerchneis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 211.

Type, Falco rupicoloides A. Smith. [Falconidae.]

(Monotypy.)

Megapasser A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 261.

Type, Passer motitensis A. Smith.

[Fringillidae.]

(Monotypy.)

(Subgenus of Passer Brisson.)

Megathiza G. M. Mathews, Birds Australia, X, Pt. 1, Sept. 28, 1922, 1,6.

Type, Sericornis magnirostris keri Mathews. [Sylviidae.]

(Original designation.)

(Subgenus of Acanthiza, but used as a genus.)

Melanaetus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Circaëtus cinereus Vieillot. [Buteonidae.] (Monotypy.)

(Subgenus of Circaëtus Vieillot.)

Melanalcyon G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 156, 161.

Type, Todiramphus funcbris Bonaparte.

[Alcedinidae.]

(Original designation and monotypy.)

Melananas A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 204.

Type, Anas sparsa Eyron. (Monotypy.)

[Anatidae.]

³³ The type of Craspedophora is not C. m. claudia Mathews, and if Mathewsiella is a pure substitute name the type should be the same.

Melanocircus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 207.

Type, Falco maurus TEMMINCK.
(Monotypy.)

[Buteonidae.]

Melanolophus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 219.

Type, Cuculus serratus Sparrman.

[Cuculidae.]

(Original designation and monotypy.)

Melanopica L. Navás, Anales Facultad Ciencias Zaragoza, I, No. 1, March, ²⁴
1907, 36; Revista Acad. Ciencias Zaragoza, III, "1918," 1919, 15.
Type, Corvus pica Linnaeus.
[Corvidae.]

(Monotypy.)

New name for Pica [Brisson].

"Del griego μέλας, μέλαινα, μέλαν, negro; por alusión al color dominante."
(Navás.)

Melipodagus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 220.

Type, Indicator variegatus Lesson.

[Indicatoridae.]

(Original designation and monotypy.)

Menellia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 263.

Type, Poliospiza mennelli E. C. Chubb.

[Fringillidae.]

(Monotypy.)

(Subgenus of Poliospiza Bonaparte.)

Mesositta S. A. Buturlin, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2, 1916, 152, 158, 169.

Type, Sitta himalayensis JARDINE and SELBY.

[Sittidae.]

(Original designation and monotypy.)

Metapelecanus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30,

1922, 206.
Type, Pelecanus roseus Gmelin.

[Pelecanidae.]

(Original designation.)

Micraetus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 208.

Type, Aquila wahlbergi Sundevall.

[Buteonidae.]

(Monotypy.)

Microcinnyris A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 253.

Type, Certhia chalybea LINNAEUS.

[Nectariniidae.]

(Original designation.)

(Subgenus of Notiocinnyris Roberts.)

Microcochlearius C. Chubb, Bull. Brit. Orn. Club, XXXIX, No. CCXLIV, June 30, 1919, 98.

Type, Euscarthmus josephinae Chubb.

[Tyrannidae.]

(Original designation and monotypy.) Microcrypturus C. Снивв Bull. Brit. Orn. Club, XXXVIII, No. CCXXIX, Dec. 29, 1917, 30.

New name for Crypturellus Brabourne and Chubb (type, Tinamus tataupa)
Temminck), preoccupied.

[Tinamidae.

²⁴ Probably not published until late in June, or early in July. The National Museum copy was mailed by the society July 5.

ART. 15

Microcursorius A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 202.

Type, Cursorius temmincki Swainson. (Original designation and monotypy.)

[Cursoriidae.]

(Subgenus of Cursorius.)

Micromerops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 215.

Type, Merops boehmi Reichenow.

[Meropidae.]

(Original designation and monotypy.)

Micronetta A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 204.

Type, Anas punctata Burchell.

[Anatidae.]

(Original designation and monotypy.)

Microphila C. Chubb, Annals and Mag. Nat. Hist., ser. 9, VII, No. 38, Feb., 1921, 192.

Type, Sporophila castaneiventris Cabanis. [Fringillidae.] (Original designation and monotypy.)

Microplectes A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 270.

Type, Ploceus velatus VIEILLOT.

[Ploceidae.]

(Original designation and monotypy.)

(Subgenus of *Hyphantornis*, of authors, not Gray, 1844.)

Micropogonius A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 221.

Type, Megalaima bilineata Sundevall. [Capitonidae.]

(Monotypy.)

(Subgenus of Barbatula Lesson=Pogoniulus Lafresnaye.)

Micropsittacus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 212.

Type, Pionus fuscicapillus Verreaux and Des Murs. [Psittacidae.]

(Original designation.)

(Subgenus of Poicephalus.)

Microserinus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 262.

Type, Fringilla mozambica P. L. S. MÜLLER.

[Fringillidae.]

(Original designation and monotypy.)

(Subgenus of Serinus Koch.)

Microsiphonorhis F. M. Chapman, Bull. Amer. Mus. Nat. Hist., XXXVII, May 14, 1917, 329.

Type, Microsiphonorhis brewsteri Chapman.

[Caprimulgidae.]

(Original designation and monotypy.) Micrositta S. A. Buturlin, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2,

1916, 153, 156, 169. Type, Sitta villosa VERREAUX.

[Sittidae.]

(Original designation.)

(Subgenus of Sitta Linnaeus.)

Microtis G. I. Poliakov, "Birds collected by A. P. Velizhanin in the bassin of upper Irtysh" (in Russian). "1915", p. 99. (Issued with Messager Ornith., VII, No. 2, April 2 (old style), 1916.

Type, "Microtis tetrax (L.)"=Otis tetrax Linnaeus. (Monotypy.)

[Otididae.]

21996-27†---4

Milvulus "Parbattiah" [=B. H. Hoddson], Bengal Sporting Magazine, VIII, 25 No. 28 (old series No. 44), Oct. 1, 1836, 183.

Type, Milvus rotundicauda Hodgson, 26 and the "brahmani cheel" or "Halixetus Pondicerianus of authors." [Buteonidae.

(Subgenus of Milvus; not Milvulus Swainson, 1827.)

Molinæa F. P. Jarocki, Zoologiia, II, 1821, 315. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Aptenodytes chilensis Gmelin = Diomedea chilensis Molina. [Spheniscidae.]

(Monotypy.)

Monacula F. P. Jarocki, Zoologiia, II, 1821, 55. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Pipra albifrons GMELIN.

[Formicariidae.]

(Monotypy.)

Monarchanax G. M. Mathews, Birds Australia, IX, Pt. 2, April 15, 1921, 93.

Type, Muscicapa chrysomela Garnot.

(Monotypy.)

Morphnarchus R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 2.

Type, Leucopternis princeps Sclater.

[Buteonidae.]

(Original designation and monotypy.)

"μόρφνος, dusky, dark; άρχός, a leader or chief." (Ridgway.)

Muscifur O. Bangs and T. E. Penard, Bull Mus. Comp. Zoöl., LXIV, No. 4, Jan., 1921, 376.

Type, Myiarchus semirufus Sclater and Salvin.

[Tyrannidae.]

(Original designation and monotypy.)

Myioparus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Parisoma plumbeum HARTLAUB.

[Muscicapidae.]

(Monotypy.)

Nannopsittacus G. M. Mathews, Birds Australia, VI, Pt. I, Nov. 22, 1916, 65.

Type, Cyclopsitta suavissima Sclater. [Domicellidae.]

(Original designation.)

(See Suavipsitta Mathews.)

Natalornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 222.

Type, Hirundo atrocaerulea Sundevall.

[Hirundinidae.]

(Monotypy.)

Neafrapus G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 264.

Type, Chaetura cassini Sclater. [Micropodidae.]

(Original designation and monotypy.)

Nemospiza H. C. Oberholser, Ohio Journ. Sci., XVII, No. 8, June 2, 1917, 335.

Type, Emberiza henslowi Audubon.

[Fringillidae.]

(Original designation.)

" Nέμος, pascuum; and σπίζα, fringilla." (Oberholser.)

Neocalophasis N. TAKATSUKASA and N. KURODA, Tori, III, No. 12-13, March, 1922, 37.

Type, Calophasis mikado Ogilvie-Grant.
(Original designation and monotypy.)

[Phasianidae.]

²⁵ The individual nos. in this volume are by error credited to vol. VII.

²⁶ New here, and fully described.

Neochen H. C. Oberholser, Journ. Washington Acad. Sci., VIII, No. 17, Oct. 19, 1918, 571.

Type, Anser jubatus Spix.

[Anatidae,]

(Original designation and monotypy.)

"Néos, novus; Χήν, anser" (Oberholser.)

Neocisticola A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Cisticola pusilla Gunning and Roberts.

[Sulviidae,]

(Original designation.)

Neofiscus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 244.

Type, Lanius caudatus CABANIS.

[Laniidae.]

(Original designation.)

(Subgenus of Fiscus.)

Neoglottis R. Ridgway, Bull. U. S. Nat. Mus., No. 50, Pt. VIII, June 26, 1919.

Type, Scolopox melanoleuca GMELIN.

[Scolopacidae.]

(Original designation.)

"Néos, new; +Glottis." (Ridgway.)

Neogyps L. H. Miller, Univ. Calif. Pubs. Bull. Dept. Geology, IX, No. 9, March 10, 1916, 108.

Type, Neogyps errans MILLER.

[Aegypiidae.]

(Monotypy.)

Neohierax H. K. Swann, Synopsis Accipitres, ed. 2, Pt. iv, May 20, 1922, 184. Type, Poliohierax insignis Walden. [Falconidae.] (Original designation and monotypy.)

Neolanius A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 243. Type, Lanius excubitorius Prevost and Des Murs. [Laniidae.]

(Original designation and monotypy.)

(Subgenus of Lanius.)

Neoleucotreron R. C. McGregor, Philippine Journ. Sci., sect. D., XIII, No. 1, Jan., 1918, 2.

Type, Leucotreron merrilli McGregor. (Original designation and monotypy.) [Treronidae.]

(Subgenus of Leucotreron.)

Neomimeta G. M. Mathews, Austral Avian Record, III, No. 3, April 7, 1916,

Type, Mimetes flavocinctus King.

[Oriolidae.]

(Original designation.) Neomirafra A. Roberts, Annals Transvaal Museum. VIII, Pt. 4, Oct. 30, 1922,

Type, Alauda fringillaris Sundevall.

[Alaudidae.]

(Monotypy.)

(Subgenus of Mirafra Horsfield.)

Neonisus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 208.

Type, Accipiter melanoleucus A. Smith.

[Buteonidae.]

(Monotypy.)

Neopelecanus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 206.

Type, Pelecanus refescens Gmelin.

[Pelecanidae.]

(Monotypy.)

Neophedina A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 224.

Type, Hirundo cincta Boddaert.

[Hirundinidae.]

(Original designation and monotypy.)

†Neophrontops L. H. MILLER, Univ. Calif. Pubs. Bull. Dept. Geology, IX, No. 9, March 10, 1916. 106.

Type, Neophrontops americanus MILLER.

[Aegypiidae.]

(Monotypy.)

Neorhopias C. E. Hellmayer, Anzeiger Orn. Ges. Bayern, No. 3, Oct. 15, 1920,

Type, Formicivora iheringi HELLMAYR.

[Formicariidae.]

(Original designation and monotypy.)

Nephelicola A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 238.

Type, Hemipteryx minuta Gunning.

[Sulviidae.]

(Original designation.)

Nesobaza G. M. Mathews, Birds Australia, V, Pt. II, Feb. 29, 1916, 213. Type, Pernis madagascariensis A. Smith. [Buteonidae.]

(Original designation and monotypy.)

Nesoceryx G. M. MATHEWS, Bull. Brit. Orn. Club, XLI, No. CCLIV, Nov. 30, 1920, 35.

Type, Charadrius bicinctus JARDINE and SELBY. [Charadriidae.]

(Original designation and monotypy.)

Nesocorax J. H. RILEY, Auk, XXXVIII, No. 3, July, 1921, 458.

Type, Gazzola typica Bonaparte.

[Corvidae.]

(Original designation.) New name for Gazzola authors, not Bonaparte (Gazzola Bonaparte=Graucalus of authors.)

Nesotrochis A. Wetmore, Proc. U. S. Nat. Mus., 54, No. 2245, Nov. 21, 1918, 516.

Type, Nesotrochis debooyi WETMORE.

[Rallidae.]

(Original designation and monotypy.)

Nigravis E. C. Stuart Baker, Bull. Brit. Orn. Club, XLI, No. CCLIII, Nov. 9, 1920, 10; No. CCLVIII, April 1, 1921, 101.

Type, Nigravis herberti BAKER. (Monotypy.)

[Timaliidae.]

Notafrapus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 218.

Type, Notafrapus sheppardi Roberts.

[Micropodidae.]

(Original designation and monotypy.)

Notiocichla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Turdus explorator VIEILLOT.

[Turdidae.]

(Original designation and monotypy.)

(Subgenus of Petrophila or Monticola.)

Notiocinnyris A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 253.

Type, Certhia afra LINNAEUS.

[Nectariniidae.]

(Original designation.)

Notiopsar H. C. Oberholser, Proc. Biol. Soc. Washington, 34, June 30, 1921, 136.

Type, Turdus curaeus Molina.

[Icteridae.]

Original designation and monotypy.)

New name for Curaeus P. L. Sclater, 1862, not Cureus Boie, 1831.

"νότιος, meridionalis; ψάρ, sturnus." (Oberholser.)

Notococcyx A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 219.

Type, Cuculus solitarius Stephens.

[Cuculidae.]

(Original designation and monotypy.)

Notonetta A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Anas capensis GMELIN.

[Anatidae.]

(Original designation and monotypy.)

Notopholia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 272.

Type, "Phoenicopterus melanogaster Swainson=L. corusca Nordmann." 27 (Monotypy.) [Sturnidae.]

Notopicus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 222.

Type, Picus notatus Lichtenstein.

[Picidae.]

(Original designation and monotypy.)

Notoplotus G. M. Mathews, Birds Australia, Suppl. I, Feb. 16, 1920, 62.

[Anhingidae.] Type, Plotus novachollandiae Gould. (Original designation and monotypy.)

Notopogonius A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct 30, 1922, 221.

Type, Bucco leucomelas Boddaert. [Capitonidae.]

(Original designation and monotypy.)

Notopsittacus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 212.

Type, Psittacus robustus GMELIN.

[Psittacidae.]

(Original designation.)

(Subgenus of Poicephalus.)

Notorchilus H. C. Oberholser, Proc. Biol. Soc. Washington, 31, Dec. 30, 1918,

Type, Platyrhynchus auricularis Vieillot.

[Turannidae.]

(Original designation.) "νότος, meridies ὀρχίλος, regulus." (Oberholser.)

Nototockus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Toccus monteiri HARTLAUB.

[Bucerotidae.]

(Original designation and monotypy.)

Nutchera G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 153, 160.

Type, Halcyon badia VERREAUX.

[Alcedinidae.]

(Original designation and monotypy.) Nycticircus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Caprimulgus trimaculatus SWAINSON.

[Caprimulgidae.]

(Monotypy.)

Nyctictypus A. Roberts, Annals Transvaal Museum, VIII, Pt.4, Oct. 30, 1922]

Type, Caprimulgus rufigena A. Smith.

 $[Caprimulgidae. \ \ \,]$

(Monotypy.)

Nyctiperdix A Roberts, Annals Transvaal Museum VIII, Pt.4, Oct. 30, 1922,

Type, Pterocles bicinctus Temminek. (Original designation.)

[Ptcroclidae.]

a Lapsus for Lamprotornis melanogaster Swainson=Lamprotornis corrusca Nordmann, 1835.

Nyctisyrigmus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 216.

Type, Caprimulgus pectoralis Cuvier.

[Caprimulgidae.]

(Original designation.)

Ocelletus L. Navás, Revista Acad. Ciencias Zaragoza, III, "1918", 1919, 56. New name for Regulus "Vieillot."

Type, Motacilla regulus LINNAEUS (first species mentioned). [Regulidae.] Ochrospiza A. Roberts, Annals Transvaal Museum VIII, Pt. 4, Oct. 30, 1922, 262.

Type, Fringilla angolensis GMELIN²⁸ = F. tobaca Vieillot. [Fringillidae.] (Original designation and monotypy.)

Oestrelatella V. L. Bianchi, Faune Russie, I, Oiseaux, Pt. 2, 1913, 521, 719.

Type, Oestrelata hypoleuca Salvin. [Puffinidae.]
(Original designation.)

(Subgenus of Aestrelata.)

Oinobas 29 W. Swainson, in Murray, Encycl. Geography, 1834, 1299.

Type, not mentioned; genus is a nomen nudum here. [Tanagridae?]

Onychostruthus C. W. Richmond, Auk, XXXIV, No. 1, Jan., 1917, 89.

Type, Onychospiza taczanowskii Prievalski. [Fringillidae.]
(Original designation and monotypy.)

New name for Onychospiza Prjevalski, 1876, not Onychospiza Rey, 1872.

Oroaëtus R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 1.

Type, Falco isidori Des Murs. [Buteonidae.]

(Original designation and monotypy.) "ὅρος, mountain; ἀετός, eagle." (Ridgway.)

Orodytes J. H. Riley, Proc. Biol. Soc. Washington, 34, March 31, 1921, 52.

Type, Arachnothera? celebensis MEYER and WIGLESWORTH.

(Original designation.) [Meliphagidae.] Orospingus J. H. Riley, Proc. Biol. Soc. Washington, 35, March 20, 1922, 61.

Type, Chlorospingus goeringi Sclater and Salvin.

(Original designation and monotypy.)

†Orthopteryx C. Wiman, Wiss. Ergebn. der Schwedischen Südpolar-Exped. 1901–1903, III, Lief. 1, 1905, 27, pl. viii, figs. 2, 2a, 2b.

Type, Orthopteryx gigas WIMAN. (Monotypy.)

[Spheniscidae?]

[Tanagridae.]

Pacificodroma V. L. Bianchi, Faune Russie, Oiseaux, I, Pt. 2, 1913, 516, 559.

Type, Thalassidroma monorhis Swinhoe. [Hydrobatidae.]

(Original designation.)

(Subgenus of Oceanodroma.)

†Palæochenöides R. W. Shuffeldt, Geol. Magazine, Decade VI, III, No. 626, Aug., 1916, 347.

Type, Palæochenöides mioceanus Shufeldt. (Monotypy.)

[Incertae sedis. 35]

"Παλαιός=ancient, +χήν, a goose, +οειδής." (Shufeldt.)

Palaeolais A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 234.

Type, Sylvia palustris Bechstein. [Sylviidae.]

(Monotypy.)

²⁸ Fringilla angolensis Gmelin is preoccupied by F. angolensis Linnaeus.

30 Originally placed in the Anseres, but Wetmore, Jour. Geology, XXV, No. 6, Sept.-Oct., 1917, 555-

557, refers it to the Steganopodes.

²⁹ This is a hird of the "American Continent," and not found in Europe. It is placed between Nemosia and Pyranga Vieillot. The only other reference to this genus I have seen is in Gray, Catal. Gen. and Subgen. Birds, 1855, 156, where it is also a nomen nudum.

Papualestes G. M. Mathews, Birds Australia, VIII, Pt. 4, Oct. 13, 1920, 186.

Type, Myiolestes (?) cyanus Salvadori. [Muscicapidae.]

(Original designation and monotypy.)

Papuanapus G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 266.

Type, Chaetura novae guineae D'Albertis and Salvadori.

(Original designation and monotypy.) [Micropodidae.]

Papuorthonyx G. M. Mathews, Birds Australia, IX, Pt. 4, Oct. 19, 1921, 177.

Type, Orthonyx novaeguineae Meyer.

[Turdoididae.]

(Original designation and monotypy.)

Parvifregata G. M. Mathews, Birds Australia, Suppl. I, Feb. 16, 1920, 64.

Type, Atagen ariel Gray.

[Fregatidae.]

(Original designation and monotypy.)

Parvipsitta G. M. Mathews, Birds Australia, VI, Pt. 1, Nov. 22, 1916, 43.

Type, Psittacus pusillus White.

[Domicellidae.]

(Original designation.)

(Subgenus of Glossopsitta Bonaparte.)

Pelagodyptes R. C. Murphy and F. Harper, Bull. Amer. Mus. Nat. Hist., XLIV, Dec. 23, 1921, 503, 519.

Type Pelecanoides georgica Murphy and Harper. [Pelecanoididae.] (Monotypy.)

(Subgenus of Pelecanoides.)

"Πέλαγος, the open sea; +δύπτης, a diver." (Murphy and Harper.)

Penemonarcha G. M. Mathews, Birds Australia, IX, Pt. 2, April 15, 1921, 93.

Type, Monarcha axillaris Salvadori. [Muscicapidae.]

(Monotypy.)

Peneœnanthe G. M. Mathews, Birds Australia, VIII, Pt. 5, Dec. 15, 1920, 273.

Type, Eopsaltria leucura Gould. [Muscicapidae.]

(Original designation.)

Peneothello G. M. Mathews, Birds Australia, VIII, Pt. 4, Oct. 13, 1920, 185.

Type, Poecilodryas sigillata De Vis.

(Original designation and monotypy.)

Percnohierax R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 2.

Type, Falco leucorrhous Quoy and Gaimard.

[Buteonidae.]

(Original designation and monotypy.)

"Περκνός, dark-colored, dusky; ίέραξ, a hawk." (Ridgway.)

Perissolalage H. C. Oberholser, Proc. U. S. Nat. Mus., 54, No. 2232, Nov. 2, 1917, 182.

Type, Perissolalage chalepa Oberholser. [Campephagidae,] (Original designation and monotypy.)

"Περισσός, mirabilis; and Lalage (λαλαγή, loquacitas)." (Oberholser.)

Perissonetta H. C. Oberholser, Proc. Indiana Acad. Sci., for 1920, 1921?, 110.

Type, Anas collaris Donovan.

[Anatidae.]

(Original designation and monotypy.)

"Perissós, mirabilis; netta, anas." (Oberholser.)

Petranthus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 258.

Type, Anthus crenatus FINSCH and HARTLAUB. [Motacillidae.]

(Original designation and monotypy.)

Petrornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 228.

Type, Turdus rupestris Vieillot. [Turdidae.]
(Monotypy.)

(Subgenus of Petrophila.)

Phæoaëtus R. Ridgway, Smithsonian Misc. Colls., 72, No 4, Dec. 6, 1920, 2. Type, Falco limnaetus Horsfield. [Buteonidae.] (Original designation and monotypy.)

"Φαιός, brown, dusky; ἀετός, eagle." (Ridgway.)

Phæorhadina G. M. MATHEWS and T. IREDALE, Austral Avian Record, III, No. 5, Dec. 28, 1917, 116.

Type, Phillopneuste fuscata Blyth.

[Sylviidae.]

(Monotypy.)

Phaidrometopon A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 248.

Type, Sigmodus scopifrons Peters. (Original designation and monotypy.) [Prionopidae.]

(See Knestrometopon Neumann.)

Phoenichelidon A. Roberts, Annals Transvaal Museum, VIII, Pt.4, Oct. 30, 1922, 223.

Type, Hirundo semirufa Sundevall.

[Hirundinidae.]

(Original designation.)

Phoeniculus F. P. Jarocki, Zoologiia, II, 1821, 63. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Upupa erythrorhynchos LATHAM. [Phoeniculidae.31]

(Subsequent designation, Mathews and Iredale, 1918,)

Phoenicuroides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30,

Type, "Tractrac" of Levaillant, or Saxicola layardi Sharpe=Motacilla tractrac Wilkes, 1817. [Turdidae.] (Monotypy.)

Picrotes C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918,

Type, Lanius severus Lichtenstein. (Original designation and monotypy.) [Formicariidae.]

New name for Lochites Cabanis and Heine, 1859, not Gistel, 1848.

Pileata T. Brown, Illustr. Genera Birds, "No. VII, Oct., 1845, sig. w (2)." See Mathews, Birds Australia, Suppl. I, Feb. 16, 1920, 60.)

Type, cited as a synonym of Biziura Stephens, 1824. [Anatidae.] Piocercus E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Française d'Orn., VI, No. 120, April 7, 1919, 54.

Type, Trochilus eliza Lesson and Delattre. (Original designation and monotypy.)

[Trochilidae.]

Pitalla L. Navás, Bol. Soc. Aragonesa Ciencias Nat., IX, No. 4, April, 1910, 98. New name for Pyrrhia Navás, 1907, not Pyrrhia Hübner, 1822.

[Fringillidae.]

Platycorax H. C. Oberholser, Journal Washington Acad. Sci., IX, No. 6, Mar. 19, 1919, 167. Type, Buceros semigaleatus Tweeddale.

(Original designation and monotypy.)

[Bucerotidae.]

"Πλατύς, latus; κοραξ, corvus." (Oberholser.)

Plesialcyon G. M. MATHEWS, Birds Australia, VII, Pt. II, May 15, 1918, 152. Type, Alcedo smyrnensis LINNAEUS. [Alcedinidae.] (Original designation.)

Plesiodryas G. M. Mathews, Birds Australia, VIII, Pt. 4, Oct. 13, 1920, 185. Type, Megalestes albonotatus Salvadori. [Muscicapidae.] (Original designation and monotypy.)

New name for Megalestes Salvadori, 1875, not Selys-Longchamps, 1862.

²¹ As this name displaces Irrisor Lesson, 1830, the family name will require change as above. See Sclater, Systema Avium Ethiopicarum, 1924, 233.

Plesiositagra T. IREDALE and D. A. BANNERMAN, Bull. Brit. Orn. Club, XLI, No. CCLX, May 26, 1921, 129.

Type, Hyphantornis spekei HEUGLIN.

[Ploceidae.]

(Original designation and monotypy.)

New name for Hyphantornis authors, not of Gray, 1844; see also Oberholser, Proc. Biol. Soc. Washington, 34, March 31, 1921, 79.

Poecilositta S. A. Buturlin, Travaux Soc. Imp. Nat. Pétrograd, XLIV, Livr. 2, 1916, 149, 156, 167.

Type, Sitta azurea Lesson.

[Sittidae.]

(Original designation and monotypy.)

New name for Dendrophila Swainson, preoccupied.

Pœcilurus W. E. C. Todd, Proc. Biol. Soc. Washington, 30, July 27, 1917, 129. Type, Synallaxis candxi LAFRESNAYE. [Furnariidae.] (Original designation.)

Poliolæma C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918, 124; Bull. Brit. Orn. Club, XXXIX, No. CCXXXVIII, Jan. 3, 1919, 42.

Type, Myrmotherula cinereiventris Sclater and Salvin. [Formicariidae.] (Original designation and monotypy.)

Poliositta H. C. Robinson and C. B. Kloss, Journ. Fed. Malay States Mus., VIII, Pt. II, Dec., 1918, 228.

Type, Callisitta azurea expectata HARTERT.

[Sittidae.]

(Monotypy.)

(Not indicated as new here; probably=Poecilositta Buturlin.)

Porthmornis R. C. Murphy and F. Harper, Bull. Amer. Mus. Nat. Hist., XLIV, Dec. 23, 1921, 503, 513.

Type, Puffinuria garnotii magellani Mathews. (Monotypy.)

[Pelecanoididac.]

(Subgenus of Pelecanoides.)

" Πορθμός, a strait+ὄρνις, bird." (Murphy and Harper.)

Praedo O. Kleinschmidt, Falco, XIII, No. 2, May, 1917, 10; Beilage, "Ornis Germanica," May 1917, 6.

Type, used for all "Raubvögel" except "Falken" and "Geier". Falco buteo Linnaeus is the first species mentioned. [Buteonidae.]

(Not Pracdo Nelson, 1912.)

Pratincola T. Pennant, Brit. Zool., 4th ed., II. 1776, 648 (4°) 759 (8°); See Mathews and Iredale, Austral Avian Record, V, 1923, 65.

Type, Pratincola krameria Pennant.

[Cursoriidae.]

(Monotypy)

Priniops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 236. Type Drymoica ocularius A. Smith. [Sylviidae.] (Monotypy.)

†Procariama C. Rovereto, Anales Mus. Nac. Buenos Aires, XXV, 1914, 110, pl. XI, fig. 1, 7.

Type Procariama simplex ROVERETO.

["Hermosiornidae".]

(Monotypy.)

Proconurus A. de M. Ribeiro, Revista Museu Paulista, XII, "1920" (1922?),

Type, Psittacus nobilis Linnaeus (first species mentioned). [Psittacidae.] Prodosia E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Francaise d'Orn., VI, No. 120, April 7, 1919, 53.

Type Oreopyra hemileuca Salvin.

[Trochilidae.]

(Monotypy.)

Pronospiza A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 262. Type, Crithagra canicollis Swainson. [Fringillidae.]

(Original designation and monotypy.)

(Subgenus of Serinus Koch.)

†Prophororhacus C. ROVERETO, Anales Mus. Nac. Buenos Aires, XXV, 1914, 114, pl. X, fig. 2

Type, Prophororhacus incertus Rovereto.

[Phororhacidae.]

(Monotypy.)

Propyrrhura A. de M. RIBEIRO, Revista Museu Paulista, XII, "1920" (1922?), 7.32 Type, Macrocercus maracana Vieillot. [Psittacidae.] (Original designation and monotypy.)

Proseisura G. M. MATHEWS, Bull. Brit. Orn. Club, XLI, No. CCLIV, Nov. 30, 1920, 35.

[Muscicapidae.]

Type, Arses lorealis DE Vis. (Original designation and monotypy.)

Psammocincla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 231.

Type, Saxicola albicans Wahlberg. (Monotypy.)

[Turdidae.]

Psammospiza A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Crithagra albogularis A. Smith. (Monotypy.)

[Fringillidae.]

(Subgenus of Crithagra Swainson.)

Pseudhalcyon A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 213.

Type, Alcedo leucocephala P. L. S. MÜLLER. [Alcedinidae.] (Monotypy.)

Pseudhemipteryx A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 238.

Type, Drymoica natalensis A. Smith.

[Sylviidae.]

(Original designation and monotypy.)

(Subgenus of *Drymodyta* Sundevall.)

Pseudhirundo A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Hirundo griseopyga Sundevall. (Original designation and monotypy.) [Hirundinidae.]

Pseudocarbo A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 205.

Type, Pelecanus capensis Sparrman.

[Phalacrocoracidae.]

(Original designation and monotypy.)

Pseudocircus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 207.

Type, Accipiter macrourus S. G. GMELIN. (Original designation and monotypy.)

[Buteonidae.]

Pseudocœligena E. Simon, Hist. Nat. Trochilidae, 1921, 171, 363.

Type, Ornismya coeligena Lesson (first species mentioned). [Trochilidae.] (Proposed as a "section" of Lampropygia Reichenbach.)

(See Coeliola Simon.)

Pseudoconopophaga C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918, 122.

Type, Conopophaga melanogaster Ménétriés. (Original designation and monotypy.)

[Conopophagidae.]

³² Prophyrrhura on p. 18,

Pseudodiphlogæna E. Simon, Hist. Nat. Trochilidae, 1921, 166, 360. 33

Type, Trochilus violifer Gould (first species mentioned). [Trochilidae.] (Proposed as a "section" of Helianthea Gould.)

Pseudohomophania E. Simon, Hist. Nat. Trochilidae, 1921, 171, 362.

Type, Trochilus wilsoni Delattre and Bourcier (first species mentioned.)

[Trochilidae.]

(Proposed as a "section" of Lampropygia Reichenbach.)

Pseudosicalis C. Chubb, Bull. Brit. Orn. Club, XLI, No. CCLVII, Feb. 24, 1921, 78.

Type, Sycalis aureiventris Philippi and Landbeck. [Fringillidae.]

(Original designation and monotypy.)

Pseudosiptornis C. B. Cory, Proc. Biol. Soc. Washington, 32, Sept. 30, 1919, 150.

Type, Siptornis ottonis Berlepsch.

[Furnariidae.]

(Original designation and monotypy.)

Pseudotadorna N. Kuroda, Tori, I, No. 5, Dec. 7, 1917, 1, fig. 1.

Type, Pseudotadorna cristata Kuroda. [Anatidae. (Monotypy.)

Pseudoturdus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 227.

Type, Turdus guttatus Vigors.

[Turdidae.]

(Original designation and monotypy.)

Psittacula ex Pall., F. P. Jarocki, Zoologiia, II, 1821, 306. (See Mathews and Iredale, Austral Avian Record, III, 1918, 144.)

Type, Alca psittacula GMELIN (=PALLAS, 1769). [Alcidae.] (Monotypy.)

Psomophilus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 255.

Type, Motacilla capensis LINNAEUS.
(Original designation and monotypy.)

[Motacillidae.]

(Subgenus of Motacilla Linnaeus.)

Pteropus "Lath." J. Jennings, Ornithologia, ed. 2, 1829, 36, 390.

Type, P. africanus "Lath." (=Podica petersi HARTLAUB?).

[Heliornithidae.]

(Subsequent designation, Mathews and Iredale, Austral Avian Record, IV, 1922, 175.)

Pycnorhinus L. Navás, Anales Faculted Ciencias Zaragoza, I No. 2, June, 1907, 124; Revista Acad. Ciencias Zaragoza, III, "1918." 1919, 20.

Type, Loxia coccothraustes Linnaeus. [Fringillidae.] (Monotypy.)

New name for Coccothraustes "Pall."

"Del griego πυκνός grueso y ῥίν, ῥινός, nariz; alusión al tamaño y grosor descomunal del pico." (Navás.)

Pyrrhia L. Navás, Anales Facultad Ciencias Zaragoza, I, No. 2, June, 1907, 128.

Type, Loxia pyrrhula Linnaeus (first species mentioned). [Fringillidae.]

New name for Pyrrhula "Pall."

(See Pitalla.)

" De πυρρός, rojo." (Navás.)

Rahcinta G. M. Mathews, Austral Avian Record, III, No. 3, April 7, 1916, 58.

Type, Atrichia clamosa Gould. [Atrichornithidae.]

(Original designation and monotypy.)

Congines designation and money p,

Remiz F. P. Jarocki, Spis Ptaków, 1819, 21.

Type, Parus pendulinus GMELIN. (Monotypy.)

[Paridae.]

³³ Spelt Pseudodiphlogena on p. 360.

Rhathymodyta A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30. 1922, 238.

Type, Drymoica aberrans A. Smith.

[Sylviidae.]

(Original designation and monotypy.)

(Subgenus of Drymodyta Sundevall.)

Rhothonia R. J. MURPHY, Bull. Amer. Mus. Nat. Hist., XXXVII, Dec. 10, 1917, 861.

Type, Diomedia (Rhothonia) sanfordi Murphy, [Diomedeidae.]

(Original designation and monotypy.)

(Subgenus of Diomedea.)

"' Pώθωνες, the nostrils." (Murphy.)

Richmondena G. M. Mathews and T. Iredale, Austral Avian Record, III, No. 6, June 25, 1918, 145.

Type, Loxia cardinalis LINNAEUS.

[Fringillidae.]

(Original designation.)

New name for Cardinalis Bonaparte, 1838, nec Cardinalis Jarocki, 1821.

Named for Charles W. Richmond (Mathews and Iredale).

Rossornis G. M. Mathews, Birds Australia, VII, Pt. III, Aug. 26, 1918, 234. Type, Caprimulgus macrurus Horsfield. [Caprimulgidae.] (Original designation and monotypy.)

Rukia T. Momiyama, Birds of Micronesia, 1922, 2, pl. VII, fig. 5.

Type, Tephras ruki HARTERT. [Zosteropidae.] (Original designation and monotypy.)

Sabota A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 260. Type, Mirafra sabota A. Smith. [Alaudidae.]

(Original designation and tautonymy.)

Sakesphorus C. Chubb, Annals and Mag. Nat. Hist., ser. 9, II, No. 7, July, 1918, 123.

Type, Lanius canadensis LINNAEUS.

[Formicariidae.]

(Original designation and monotypy.)

New name for Hypolophus Cabanis and Heine, 1859, not Müller and Henle, 1837.

Salicaria T. Forster, Pocket Encycl. Nat. Phenomena, 1827, 412. (See Mathews and Iredale, Austral Avian Record, IV, 1921, 162.)

Type, "Salicaria fluviatilis" = Sylvia fluviatilis Wolf (first of six species mentioned). [Sylviidae.]

Salvatoria A. de M. Ribeiro, Revista Museu Paulista, XII, "1920" (1922?) 68. Type, Psittacus xanthops Spix. [Psittacidae.] (Monotypy.)

Sathrocercus O. Neumann, Journal für Orn., 68 Jahrg., Heft 1, Jan., 1920, 78. Type, Bradypterus barakæ Sharpe. [Sylviidae.] (Original designation and monotypy.)

Schoenocrex A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 197.

Type, Rallus pusillus PALLAS. [Rallidae.]

(Monotypy.) Sciocincla A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30,

1922, 232. Type, Saxicola arnotti Tristram. [Turdidae.]

(Original designation and monotypy.)

Sclaterillas A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 226.

Type, Andropadus debilis W. L. Sclater. [Pycnonotidae.] (Monotypy.)

Sclaterornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 251.

Type, Nectarinia arturi P. L. Sclater.

[Nectariniidae.]

(Original designation.)

Selatopogon E. Simon, Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Trochilus ruficeps Gould. [Trochilidae.]

(Original designation and monotypy.)

Serinops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 264.

Type, "Loxia flaviventris Swainson" [=Gmelin?]. [Fringillidae.]

(Original designation.)

Shelleyia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 252.

Type, Cinnyris shelleyi Alexander.

[Nectariniidae.]

(Original designation and monotypy.)

Simonula C. Chubb, Birds Brit. Guiana, I, 1916, 413 (note).

Type, "S. chloriceps (Gould)."=Trochilus floriceps Gould. [Trochilidae.] (Original designation and monotypy.)

New name for Anthocephala Cabanis and Heine, preoccupied by Anthocephalus Rudolphi, 1819, a genus of Vermes.

Siptornoides C. B. Cory, Proc. Biol. Soc. Washington, 32, Sept. 30, 1919, 150.

Type, Siptornis flammulata JARDINE.

[Furnariidae.]

(Original designation.)

Siptornopsis C. B. Cory, Proc. Biol. Soc. Washington, 32, Sept. 30, 1919, 150.

Type, Siptornis hypochondriacus Salvin. [Furnariidae.]

(Original designation and monotypy.)

Smaragdochroa E. Simon, Notice sur les Travaux Scientifiques, 1918, 39; Revue Française d'Orn., VI, No. 120, April 7, 1919, 53.

Type, Heliodoxa jacula Gould. (Monotypy.)

[Trochilidae.]

Smithaetus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 209.

Type, Circaetus pectoralis A. Smith.
[Buteonidae.]
(Monotypy.)

(Subgenus of Circaëtus Vieillot.)

Smitsornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 202.

Type, Cursorius africanus Temminck. [Cursoriidae.]

(Original designation and monotypy.)

Spizitornis H. C. OBERHOLSER, Auk, XXXVII, No. 3, July, 1920, 453.

Type, Muscicapa parulus Kittlitz.
(Original designation.)

[Tyrannidae.]

New name for Anairctes Reichenbach, 1850, not Anacretes Dejean, 1837. " $\Sigma \pi \iota \xi \iota \tau \eta s$, parus; $\delta \rho \nu \iota s$, avis." (Oberholser.)

Stephanoaëtus W. L. Sclater, Bull. Brit. Orn. Club, XLII, No. CCLXVI, Feb. 25, 1922, 75.

Type, Falco coronatus Linnaeus.
(Original designation and monotypy.)

[Buteonidae.]

Sterrhoptilus H. C. Oberholser, Journ. Washington Acad. Sci., VIII, No. 12, June 19, 1918, 394.

Type, Mixornis capitalis TWEEDDALE.

[Timaliidae.]

(Original designation.)

" Στερρός, rigidu, πτίλον, penna." (Oberholser.)

Stictomyrmornis C. Chubb, Bull. Brit. Orn. Club, XXXIX, No. CCXL, Feb. 28, 1919, 59.

Type, Pipra naevia GMELIN. (Original designation.)

[Formicariidae.]

[Timaliidae.]

Suaheliornis O. Neumann, Journal für Orn., 68 Jahrg., Heft 1 Jan., 1920, 77. Type, Phyllastrephus kretzschmeri Reichenow and Neumann.

(Subsequent designation, Stone, 1920.)

Suavipsitta G. M. Mathews, Birds Australia, VI, Pt. VI, Dec. 11, 1917, xix. Type, Cyclopsitta suavissima P. L. Sclater. New name for Nannopsittacus Mathews, 1916, not Nannopsittaca Ridgway,

Subacanthiza G. M. Mathews, Birds Australia, IX, Pt. 9, August 3, 1922, 449. Type, Acanthiza lineata Gould. [Sylviidae.] (Original designation.)

(Subgenus of Acanthiza.)

Sugomel G. M. Mathews, Austral Avian Record, V. No. 1, July 17, 1922, 7. Type, Myzomela nigra ashbyi MATHEWS. [Meliphagidae.] (Original designation and monotypy.)

Surniculoides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 219.

Type, Cuculus clamosus LATHAM.

[Cuculidae.] (Original designation and monotypy.)

Swynnertonia A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 232.

Type, Erithacus swynnertoni Shelley. (Monotypy.)

[Turdidae.]

(Subgenus of Erithacus.)

For C. F. M. Swynnerton. (Roberts.)

Tachydyta A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922,

Type, Cisticola kalahari Ogilvie-Grant.

[Sylviidae.]

(Original designation and monotypy.) Tachymarptis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 216.

Type, Hirundo melba Linnaeus.

[Micropodidae.]

(Original designation and monotypy.) Taphrolesbia E. Simon, Notice sur les Travaux Scientifiques, 1918, 39.

Type, Cynanthus griseiventris Taczanowski. [Trochilidae.] (Monotypy.)

Tavistocka G. M. Mathews, Birds Australia, VII, Pt. V, July 10, 1919, 434. Type, Loxia guttata Shaw.

(Original designation.)

Telacanthura G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 264. Type, Chaetura ussheri Sharpe. [Micropodidae.] (Original designation.)

(Proposed as a genus or subgenus.)

Teledromas A. Wetmore and J. L. Peters, Proc. Biol. Soc. Washington, 35, March 20, 1922, 41.

Type, Rhinocrypta fusca Sclater and Salvin. [Rhinocryptidae.] (Original designation and monotypy.)

Tephrolesbia E. Simon, Revue Française d'Orn., VI, No. 120, April 7, 1919, 54. [Trochilidae.] Emendation of Taphrolesbia Simon, 1918.

Tephropsilus E. Simon, Hist. Nat. Trochilidae, 1921, 103, 319.

Emendation of Taphrospilus Simon, 1910.34 [Trochilidae.]

³⁴ He says "Ecrit Taphropsilus par suite d'un lapsus." However, it was originally written "Taphrospilus," and not Taphropsilus. The spelling Taphropsilus occurs in his "Notice sur les Travaux Scientifiques," 1918, 38.

†Thiornis L. Navás, Boletin Soc. Ibérica Ciencias Naturales, XXI (IV), No. 3-4, Marzo-Abril, 1922, 59, pl. 2.

Type, Thiornis sociata Navás.

[Rallidac.]

(Original designation and monotypy.)

"De θεῖον azufre y ὄρνις ave." (Navás.)

Threnetes ³⁵ A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 238.

Type, Drymoica erythrops HARTLAUB. (Monotypy.)

[Sylviidae.]

(Monotypy.)

(Subgenus of Drymodyta Sundevall.)

Threnodyta A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 239.

Type, Drymoica subruficapilla A. Smith. (Original designation and monotypy.)

[Sylviidae.]

(Subgenus of Drymodyta Sundevall.)

Threnodytops A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 239.

Type, Drymoica chiniana A. Smith.

[Sylviidae.]

(Original designation and monotypy.)

(Subgenus of Drymodyta Sundevall.)

Thryocrex R. Ridgway, Smithsonian Misc. Colls., 72, No. 4, Dec. 6, 1920, 4.

Type, Corethrura rubra Sclater and Salvin. [Rallidae.]

(Original designation and monotypy.) "Θρύον, a rush; κρέξ, a crake." (Ridgway.)

(Spelt Thrypocrex, in Orn. Monatsber., 29, 1921, 112.)

Thryospiza H. C. Oberholser, Ohio Journal of Science, XVII, No. 8, June 2,

1917, 332. Type, Fringilla maritima Wilson.

[Fringillidae.]

(Original designation.)

θρύον, juneus; and οπίζα, fringilla." (Oberholser.)

†Tinamisornis C. ROVERETO, Anales Mus. Nac. Buenos Aires, XXV, 1914, 161.

Type, T. intermedius ROVERETO (first species mentioned). [Tinamidae.]

Todalcyon G. M. Mathews, Birds Australia, VII, Pt. II, May 15, 1918, 158, 161.

Type, Todiramphus recurvirostris Lafresnaye. [Alccdinidae.]

(Original designation and monotypy.)

Toenia ex Vaill., 36 F. P. Jarocki, Zoologiia, II, 1821, 88. (See Mathews and Iredale, Austral Avian Record, III, 1913, 144.)

Type, Corvus varians LATHAM.

[Corvidae.]

(Monotypy.)

Trimenornis A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 213.

Type, Coracias spatulatus TRIMEN.
(Original designation and monotypy.)

[Coraciidae.]

³⁶ Not Threnetes Gould, 1852.

³⁶ Refer also to Temia Oken, in my second supplement.

Tropicranus W. L. Sclater, Bull. Brit. Orn. Club, XLII, No. CCLXVI, Feb. 25, 1922, 76.

Туре, $Ortholophus\ cassini$ Finsch. 37

[Bucerotidae.]

(Original designation and monotypy.)
"Τρόπις, a keel, and κράνος, a helmet." (Sclater.)

New name for Ortholophus Ogilvie-Grant, 1892, not Ortholophus Bigot, 1882.

Tschagroides A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 248.

Type, Malaconotus australis A. Smith.

[Laniidae.]

(Original designation.)

Tychaëdon C. W. Richmond, Proc. U. S. Nat. Mus., 53, No. 2221, Aug. "16" (=25), 1917, 575.

Type, Cossypha signata Sundevall.

[Turdidae.]

(Original designation and monotypy.)

New name for Aedonopsis Sharpe, 1883, not Rey, 1872.

"Τύχη, a chance, luck; + Aëdon, άηδών, nightingale." (Richmond.)

†Urmiornis Mecquenem, "Ann. d'hist. nat. I. Paléont. Paris 1908. 54."

Type, ——, ? 38 [Phoenicoptcridae.] Vavasouria C. Chubb, Bull. Brit. Orn. Club, XL, No. CCXLIX, March 31, 1920,

107.

Type, Ampelis nivea Boddaert=Ampelis alba Hermann. [Cotingidae.]

(Original designation and monotypy.)

Veles³⁹ O. Bangs, Proc. New England Zoöl. Club, VI, Oct. 31, 1918, 92.

Type, Caprimulgus binotatus Bonaparte. [Caprimulgidae.]

(Original designation and monotypy.)

Vestiaria ex "Sh.", F. P. Jarocki, Zoologiia, II, 1821, 75. (See Mathews and Iredale, Austral Avian Record, III, 1918, 144.)

Type, Certhia coccinea GMELIN. (Monotypy.)

[Drepanididae.]

Vetula F. P. Jarocki, Zoologiia, II, 1821, 36. (See Mathews and Iredale, Austral Avian Record, III, 1918, 143.)

Type, Cuculus vetula GMELIN.

[Cuculidae.]

(Monotypy.)

Vibrissosylvia O. Neumann, Journal für Orn., 68 Jahrg., Heft 1, Jan., 1920, 78.

Type, Callene cyornithopsis Sharpe.

[Turdidae.]

(Original designation and monotypy.)

Vidgenia G. M. Mathews, Birds Australia, VII, Pt. IV, Dec. 19, 1918, 311, 327.

Type, Cuculus castaneiventris Gould. [Cuculidae.]

(Original designation.)

²⁷ Mr. Selater (Bull. Brit. Orn. Club, XLII, p. 44) says no type was designated by Ogilvie-Grant, and that he proposes "to designate as the type of the genus *Ortholophus cassini* Finsch, which appears in the Catalogue under the name *O. albocristatus*, but which is not the hird described under that name by Cassin." Regardless of the shifting of specific names in the two species enumerated by Ogilvie-Grant, it may be said that the type of the genus *Ortholophus* [was designated by Sharpe in 1893 (Zool. Record, Aves., XXIX, 1893 p. 42) as "albocristatus" of the Cat. Birds B. M., XVII, p. 425, and the same species was indicated by me as the type in 1902 (Proc. U. S. Nat. Mus., XXIV, p. 701). This species is the one Mr. Selater designates under the name of cassini.

²⁸ No species is mentioned by Lambrecht (Fossilium Catalogus, I, Pars 12, Aves, 1921, p. 23), from whose work the reference was taken.

³⁹ Misprinted Peles, in Auk, 1919, 304.

Warsanglia S. Clarke, Bull. Brit. Orn. Club, XL, No. CCXLVI, Dec. 31, 1919, 48.

Type, Warsanglia johannis CLARKE. (Monotypy.)

 $[Fringillidae.] % \begin{center} \$

Xanthoplectes A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 270.

Type, Hyphantornis xanthopterus Finsch and Hartlaub. [Ploceidac.] (Original designation.)

(Subgenus of Hyphantornis, of authors, not of Gray, 1844.)

Xanthorhynchus A. Roberts, Annals Transvaal Museum, VIII, Pt. 4, Oct. 30, 1922, 214.

Type, Buceros leucomelas Lichtenstein. (Original designation and monotypy.)

[Bucerotidae.]

Xenicopsoides C. B. Cory, Auk, XXXVI, No. 2, April, 1919, 273.

Type, Anabazenops variegatizeps Sclater. (Original designation.)


[Furnariidae.]

(Subgenus of Xenicopsis.)

Zoonavena G. M. Mathews, Birds Australia, VII, Pt. III, August 26, 1918, 265.

Type, Chaetura grandidieri Schlegel.

(Original designation and monotypy)



CATALOGUE OF GENERA MENTIONED IN THE FOREGOING LIST, ARRANGED BY FAMILIES.

[Fossil genera are here indicated by italies.]

INCERTAE SEDIS.

Fontinalis.

Gigantornis.

Palæochenöides.

AEGYPHDAE.

Neogups.

Neophrontops.

ALAUDIDAE.

Africorys.

Anacorys.

Croteoptera.

Neomirafra.

Sabota.

ALCEDINIDAE.

Antisyma.

Argyroceyx. .

Cecilia.

Ceycalcyon.

Ceycoides.

Chelicutona.

Cyanoceyx.

Dacelalcyon.

Dilazula.

Dilazulena.

Edquista.

Halevonopa.

Hyposyma.

Ispidella.

Lazulena.

Leucalcyon.

Melanalcyon.

Nutchera.

Plesialcyon.

Pseudhalcyon.

Todalcyon.

ALCIDAE.

Aethia.

Psittacula.

ANATIDAE.

Afranas.

Chenogeranus.

Eider.

Euolor.

Horizonetta.

Hygrobates.

ANATIDAE—Continued.

Melananas.

Micronetta.

Neochen.

Notonetta.

Perissonetta.

Pileata.

Pseudotadorna.

ANHINGIDAE.

Notoplotus.

ARCHAEOPTERYGIDAE.

Archaeornis.

ARDEIDAE.

Afrardea.

Botaurites

Butor.

ATRICHORNITHIDAE.

Rahcinta.

BUBONIDAE.

Athenoptera.

Bernevornis.

BUCCONIDAE.

Barbaculus.

BUCEROTIDAE.

Baryrhynchus.

Cranobrontes.

Nototockus.

Platycorax.

Tropicranus.

Xanthorhynchus.

BUTEONIDAE.

Aerospiza.

Anomalaetus.

Cassinaëtus.

Hamirostra.

Helicolestes.

Melanaetus.

Melanocircus.

Micraetus.

Milynlus.

Morphnarchus.

Neonisus.

Nesobaza.

Oroaëtus.

Percnohierax.

BUTEONIDAE—Continued.

Phæoaëtus.

Praedo.

Pseudocircus.

Smithaetus.

Stephanoaëtus.

"CACATUIDAE".

(See Kakatoëidae.)

CAMPEPHAGIDAE.

Celebesia.

Perissolalage.

CAPITONIDAE.

Buccanodon.

Micropogonius.

Notopogonius.

CAPRIMULGIDAE.

Crotema.

Eximiornis.

Microsiphonorhis.

Nycticircus.

Nyctictypus.

Nyctisyrigmus.

Rossornis.

Veles.

CERTHIIDAE.

Cormobates.

CHARADRIIDAE.

Afraegialis.

Cranellus.

Nesocervx.

CLARAVIIDAE.

Amoropelia.

Diopezus.

COLUMBIDAE.

Afropelia.

CONOPOPHAGIDAE.

Pseudoconopophaga.

CORACIIDAE.

Eucoracias.

Trimenornis.

CORVIDAE.

Melanopica.

Nesocorax.

Toenia.

COTINGIDAE.

Calloprocnias.

Vavasouria.

CRACIDAE.

Alector.

CRATEROPODIDAE.

(See Turdoididae.)

CUCULIDAE.

Adamatornis.

Adetococcyx.

Cecractes.

Grillia.

Gillia

Malcoha.

Megacentropus.

Melanolophus.

Notococcyx.

Surniculoides.

Vetula.

Vidgenia.

CURSORIIDAE.

Microcursorius.

Pratincola.

Smutsornis.

CYCLOPSITTACIDAE.

Cruopsitta.

DENDROCOLAPTIDAE.

Dendrocinclopa.

DICAEIDAE.

Dipardalotus.

DIOMEDEIDAE.

Rhothonia.

DOMICELLIDAE.

Nannopsittacus.

Parvipsitta.

Suavipsitta.

DREPANIDIDAE.

Dysmorodrepanis.

Vestiaria.

FALCONIDAE.

Cuvieria.

Megacerchneis.

Neohierax.

FORMICARIIDAE.

Dichropogon.

Frederickena.

Hypocnemoides.

Mackenziæna.

Monacula.

Neorhopias.

Picrotes.

Poliolæma.

Sakesphorus.

Stictomyrmornis.

FREGATIDAE.

Parvifregata.

FRINGILLIDAE.

Caffropasser.

Chlorindus.

FRINGILLIDAE—Continued.

Dendrospiza.

Duncanula.

Idiospiza.

Lormarinsia.

Megapasser.

Menellia.

Microphila.

Microserinus.

Nemospiza.

Ochrospiza.

Onychostruthus.

Pitalla.

Pronospiza.

Psammospiza.

Pseudosicalis.

Pycnorhinus.

Pyrrhia.

Richmondena.

Serinops.

Thryospiza.

Warsanglia.

FURNARIIDAE.

Euphilydor.

Eusiptornoides.

Hylocryptus.

Pœcilurus.

Pseudosiptornis.

Siptornoides.

Siptornopsis.

Xenicopsoides.

GRACULIDAE.

Graculæa.

HELIORNITHIDAE.

Pteropus.

HERMOSIORNIDAE.

Hermosiornis.

Procariama.

HIRUNDINIDAE.

Cheimonornis.

Natalornis.

Neophedina.

Phœnichelidon.

Pseudhirundo.

HYDROBATIDAE.

Pacificodroma.

ICTERIDAE.

Demelioteucus.

Notiopsar.

INDICATORIDAE.

Melipodagus.

IRENIDAE.

(See Pycnonotidae.)

IRRISORIDAE.

(See Phœniculidae.)

KAKATOËIDAE.

Callocorydon.

Chæneirhynchus.

Eucacatua.

LANIIDAE.

Brubru.

Calophoneus.

Coracornis.

Diplophoneus.

Lanioides.

Neofiscus.

Neolanius.

Tschagroides.

LARIDAE.

Caturates.

LEPTOSOMATIDAE

Cromba.

LORIIDAE.

(See Domicellidae,)

MELIPHAGIDAE.

Amoromyza.

Orodytes.

Sugomel.

MEROPIDAE.

Micromerops.

MICROPODIDAE.

Alterapus.

Caffrapus.

Chæturellus.

Colletoptera.

Epicypselus.

Indicapus.

Neafrapus.

Notafrapus.

Papuanapus.

Tachymarptis.

Telacanthura.

Zoonavena.

MOTACILLIDAE.

Afranthus.

Aguimpia.

Anomalanthus.

Atolmodytes.

Caffranthus.

Hemimacronyx

Meganthus.

Petranthus.

Psomophilus.

MUSCICAPIDAE. Chloropetella.

Erannornis.

MUSCICAPIDAE—Continued.

Gennæodrvas.

Haganopsornis.

Haplornis.

Lioptilornis.

Mastersornis.

Monarchanax.

Myioparus.

Papualestes.

Penemonarcha.

Penecenanthe.

Peneothello.

Plesiodryas.

Proseisura.

MUSOPHAGIDAE.

Crinifer.

NECTARINIDAE.

Aethocinnyris.

Anthophagus.

Baptothorax.

Eremicinnyris.

Eucinnyris.

Gunningia.

 ${\bf Lamproth reptes.}$

Maricornis.

Microcinnyris.

Notiocinnyris.

Sclaterornis.

Shellevia.

OEDICNEMIDAE.

Burhinops.

ORIOLIDAE.

Neomimeta.

OTIDIDAE.

Microtis.

PARADISAEIDAE.

Mathewsiella.

PARIDAE.

Remiz.

PELECANIDAE.

Metapelecanus.

Neopelecanus.

PELECANOIDIDAE.

Pelagodyptes.

Porthmornis.

PERISTERIDAE.

(See Claraviidae.)

PHALACROCORACIDAE.

Anacarbo.

Pseudocarbo.

PHASIANIDAE.

Dendroperdix.

Neocalophasis.

PHOENICOPTERIDAE.

Urmiornis.

PHOENICULIDAE.

Phoeniculus.

PICIDAE.

Cirropicus.

Notopicus.

PIPRIDAE.

Massornis.

PLOCEIDAE.

Euploceus.

Glaucestrilda.

Mandingoa.

Microplectes.

Plesiositagra.

Tavistocka.

Tavistocka.

Xanthoplectes.

PODARGIDAE.

Celuro.

Euægotheles.

PRIONOPIDAE.

Eressornis.

Knestrometopon.

Phaidrometopon.

PROCELLARIIDAE.

(See Hydrobatidae.)

PSITTACIDAE.

Chapmania.

Clarkona.

Eupsittacula.

Eupsittacus.

Gymnopsittacus.

Hemipsittacus.

Lavardiella.

Micropsittacus.

Notopsittacus.

Proconurus.

Propyrrhura.

Salvatoria.

PTEROCLIDAE.

Calopterocles.

Eremialector.

Nyctiperdix.

PTEROPTOCHIDAE.

(See Rhinocryptidae.)

PUFFINIDAE.

Oestrelatella.

PYCNONOTIDAE.

Ayresillas.

Cophixus.

Glaucomorpha.

Haringtonia.

Sclaterillas.

RALLIDAE.

Hapalocrex.

Limnocrex.

Nesotrochis.

Schoenocrex.

Thiornis.

Thryocrex.

REGULIIDAE.

Ocelletus.

RHEIDAE.

Heterorhea.

RHINOCRYPTIDAE.

Teledromas.

SCOLOPACIDAE.

Capella.

Neoglottis.

SITTIDAE.

Arctositta.

Cvanositta.

Homositta.

Leptositta.

Mesositta.

Micrositta.

Poecilositta.

Poliositta.

SPHENISCIDAE.

Molinaea.

?Orthopterux.

SPIZIXIDAE.

(See Pycnonotidae.)

STURNIDAE.

Buphagoides.

Lamprospreo.

Notopholia.

SYLVIIDAE.

Cafrillas.

Devisornis.

Drymodytops.

Eremomeloides.

Ficaria.

Magalilais.

Megathiza.

Neocisticola.

Nephelicola.

Palaeolais.

Phaeorhadina.

Priniops.

Pseudhemipteryx.

Rhathmodyta.

Salicaria.

Sathrocercus.

SYLVIIDAE—Continued.

Subacanthiza.

Tachydyta.

Threnetes.

Threnodyta.

Threnodytops.

TANAGRIDAE.

Bangsia.

Cardinalis.

Cnemathraupis.

Cnemoscopus.

Habia.

Loriotus.

Oinobas?

Orospingus.

TIMALIIDAE.

Alcippornis.

Curzonia.

Nigravis.

Sterrhoptilus.

Suaheliornis.

TINAMIDAE.

Crypturornis.

Microcrypturus.

Tinamisornis.

TRERONIDAE.

Compsoenas.

Lamprura.

Neoleucotreron.

TROCHILIDAE.

Agapetornis.

Agyrtrina.

Anopetia.

Apatelosia.

Arenella.

Bombornis.

Brabournea.

Chionomesa.

Chloropogon.

Chlorostola.

Chlorurania.

Chlorurisca.

Coeliola.

Cosmorhipis.

Cyanolampis.

Gnaphocercus.

Haplophædia.

Heteroglaucis.

Hypochionis.

Leuconympha.

Lithiophanes.

TROCHILIDAE—Continued.

(Litiophana).

Piocercus.

Prodosia.

Pseudocœligena.

Pseudodiphlogæna.

Pseudohomophania.

Selatopogon.

Simonula.

Smaragdochroa.

Taphrolesbia.

Tephrolesbia.

Tephropsilus.

TURDIDAE.

Afrocichla.

Caffrornis.

Campicoloides.

Colonocichla.

Hyloaedon.

Karrucinela.

Keartlandia.

Leachena.

Notiocichla.

Petrornis.

TURDIDAE—Continued.

Phoenicuroides.

Psammocincla.

Pseudoturdus.

Sciocincla.

Swynnertonia.

Tychaëdon,

Vibrissosylvia.

TURDOIDIDAE.

Achaetops.

Maclennania. Papuorthonyx.

TURNICIDAE.

Marianornis.

TYRANNIDAE.

Cometornis.

Microcochlearius.

Muscifur.

Notorchilus.

Spizitornis.

ZOSTEROPIDAE.

Kubaryum.

Rukia.